

GENERAL SEALANTS, INC. -- POLYSULFIATE SEALANT -- 8030-00-965-2438

===== Product Identification =====

Product ID:POLYSULFIATE SEALANT

MSDS Date:08/26/1989

FSC:8030

NIIN:00-965-2438

MSDS Number: BHMZV

=== Responsible Party ===

Company Name:GENERAL SEALANTS, INC.

Address:300 S. TURNBULL CANYON RD.

City:CITY OF INDUSTRY

State:CA

ZIP:91745

Country:US

Info Phone Num:800-762-1144

Emergency Phone Num:81

8-961-0211

CAGE:53992

=== Contractor Identification ===

Company Name:COMPUTATION CO INC

Address:7748 OPPORTUNITY RD

Box:City:SAN DIEGO

State:CA

ZIP:92111-2214

Country:US

CAGE:53922

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Phone:818-961-0211

CAGE:53992

===== Composition/Information on Ingredients =====

Ingred Name:PLASTICIZER

(VAPOR PRESSURE MM HG/20)

CAS:102338-56-7

RTECS #

:TP0900000  
OSHA PEL:.1 MG/M3  
ACGIH TLV:.1 MG/M3

Ingred Name:POLYSULFIDE RUBBER  
ACGIH TLV:500 PPM

Ingred Name:PARAFFINIC OIL  
CAS:64771-72-8  
ACGIH TLV:.2 OZ/FT3

Ingred Name:FILLERS  
ACGIH TLV:500 PPM

=====  
Hazards Identification  
=====

Effects of Overexposure:SOLID MATERIAL MAY BURN AT OR ABOVE FLASH  
POINT,CONCENTRATED GAS MAY CAUSE IRRITATION TO SENITIVE PEOPLE

=====  
Fire Fighting Measures  
=====

Flash Point:800F  
Extingui  
shing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL  
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EZPOSED SURFACES  
AND TO PROTECT PERSONNEL. RESPIRATORY AND EYE PROTECTION REQUIRED.  
Unusual Fire/Explosion Hazard:NON-EXPLOSIVE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELIMINATE SOURCE OF IGNITION,PREVENT  
ADDITIONAL DISCHARGE OF MATERIAL, IMPLEMENT CLEAN UP PROCEDURE AND  
NOTIFY AUTHORITIES IF APPROPRIATE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AT 72F  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Protective Gloves:NONE  
Eye Protection:NONE  
Other Protective Equipment:NONE  
Supplemental Safety and Health  
NK

=====  
Physical/Chemical Properties  
=====

Spec Gravity:1.34  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BLACK, SLIGHT ODOR  
Percent Volatiles by Volume:.7

=====

= Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS, OXIDIZING SUBSTANCES

Stability Condition to Avoid: STABLE UNDER NORMAL CONDITIONS

Hazardous Decomposition Products: CARBON MONOXIDE, FLAMMABLE  
HYDROCARBONS

Conditions to Avoid Polymerization: IT WILL NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods: USE STANDARD METHODS, RECOVER MATERIAL AND PLACE  
CONTAINERS FOR RECYCLE OR DISPOSAL

L, ENSURE LOCAL DISPOSAL, ENSURE  
LOCAL DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.