

INDUSTRIAL FLOOR FINISHES -- KAR WAX -- 7930-00-985-6750

===== Product Identification =====

Product ID:KAR WAX

MSDS Date:12/01/1985

FSC:7930

NIIN:00-985-6750

MSDS Number: BHMZZ

=== Responsible Party ===

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRING STREET

City:BEDFORD

State:MA

ZIP:01730

Country:US

Info Phone Num:1-617-5161 OR POISON CENTER

Emergency Phone Num:1-617-5161 OR POISON CENTE

R

Preparer's Name:T. PITROFFY

CAGE:INDUS

=== Contractor Identification ===

Company Name:FEDERAL SPECIFICATIONS, PROMULGATED BY GSA

Box:City:WASHINGTON

State:DC

Country:US

CAGE:81348

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRINGS RD

City:BEDFORD

State:MA

ZIP:01730

Country:US

Phone:1-617-667-5161

CAGE:INDUS

===== Composition/Information on Ingredients =====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 69%

OSHA PEL:500 PPM

ACGIH TLV:1

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:EYE IRRITATION, DRYING SKIN, MAY CAUSE  
HEADACHE, DIZZINESS, NAUSEA.  
Effects of Overexposure:EYE IRRITATION, DRYING SKIN, MAY CAUSE  
HEADACHE, DIZZINESS, NAUSEA.

=====  
First Aid Measures  
=====

First Aid:EYE CONTACT: FLUSH WITH WATER. SKIN CONTACT: WASH WITH MILD  
SOAP AND WATE  
R, APPLY SKIN CREAM. INHALATION: REMOVE TO FRESH  
AIR AND CALL PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:104 F/ 40.00 C  
Lower Limits:0.7  
Upper Limits:6.9  
Extinguishing Media:WATER SPRAY, CO2, FOAM, DRY CHEMICAL  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SCRAPE UP MATERIAL FROM SURFACE & COLLECT IN  
ME  
TALCONTAINER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN  
FLAME. USE ADE-QUATE VENTILATION. AVOID PROLONGED CONTACT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS ABOVE TLV  
LIMITS  
Ventilation:LOCAL EXHAUST  
Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Other Protective Equipment:EYE BATH  
Supplemental Safe

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:311  
Vapor Pres:2  
Vapor Density:4.7  
Spec Gravity:0.78  
Evaporation Rate & Reference:0.12 (TOLENE=1)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:WATER SPRAY, CO2, FOAM, DRY CHEMICAL  
Percent Volatiles by Volume:69

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME  
Hazard  
ous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON  
MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS, DISPOSE OF IN  
ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly o  
r implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.