View NSN Online: https://aerobasegroup.com/nsn/6850-00-281-3042

OCTAGON PROCESS INC. -- CARBON REMOVING COMPOUND P-C-111D A,2 TYII 6850-00-281-3042

Product ID:CARBON REMOVING COMPOUND P-C-111D A,2 TYII MSDS Date:07/19/1988 FSC:6850 NIIN:00-281-3042 MSDS Number: BHQJP === Responsible Party === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD City:EDGEWATER State:NJ ZIP:07020 Country:US Info Phone Num:201-945-9400 Е mergency Phone Num:201-945-9400 CAGE:82925 === Contractor Identification === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD Box:City:EDGEWATER State:NJ ZIP:07020 Country:US Phone:201-945-9400 CAGE:82925 Ingred Name:ETHANOLAMINE CAS:141-43-5 RTECS #:KJ5775000 Fraction by Wt: 21-22% **OSHA PEL:3 PPM/6 STEL** ACGIH TLV:3 PPM/6 STEL; 9192 Ingred Name:2-BUTOXYETHANOL CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 10% OSHA P EL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9293

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: IRRITATION TO SKIN AND EYES. CAN CAUSE PERMANENT EYE INJURY IF NOT TREATED PROMPTLY. PROLONGED BREATHING OF VAPORS MAY IRRITATE RESPIRATORY TRACT. Effects of Overexposure: EYES: REDNESS TEARING AND BURNING SENSATION TO EYES. SKIN: REDNE SS AND POSSIBLE BLISTERING OF SKIN. INHALATION: COUGHING AND POSSIBLE NAUSEA IN THE CASE OF OVEREXPOSURE TO VAPOR CONCENTRATIONS. INGEST ION: NAUSEA, VOMITING First Aid: EYES: FLUSH W/WATER FORRO 15 MINUTES. GET PROMPT MEDICAL AID. INHALATION: REMOVE TO FRESH AIR. TREAT SYSTOMATICALLY. SKIN: WASH AREA W/MILD SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL AID. ING ESTION: GIVE 2 GLASSES OF WATER INDUCE VOMITING AND GET IMMEDIATE MEDICAL ATTENITON. Flash Point:NONE Lower Limits:NA Upper Limits:NA Extinguishing Media:WILL NOT BURN Fire Fighting Procedures: KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE Spill Release Procedures: SMALL SPILLS CAN BE FLUSHED AWAY WITH LARGE AMOUNTS OF WATER. LARGE SPILLS SHOULD BE VACCUMED UP AND RECOVERED FOR RE-USE IF POSSIBLE, OR PLACED IN SUITABLE DISPOSAL CONTAINERS.

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP CONTAINERS CLOSED WHEN NOT INUSE.

Other Precautions:LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE. DO NOT REUSE EMPTY CONTAINERS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IN CONFINED AREAS, ORGANIC VAPOR RES

PIRATOR Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER, NEOPRENE Eye Protection:CHEMICAL SAFETY GOGGLES OR FACE SHIELD Other Protective Equipment:AS NEEDED TO AVOID SKIN, EYE CONTACT. EYE WASH FOUNTAIN SAFETY SHOWER Work Hygienic Practices:WASH HANDS AND FACE AFTER USING AND BEFORE EATING, DRINKING OF USING TOILET FACILITIES. Supplemental Safety and Health LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.

HCC:N1 Bo iling Pt:B.P. Text:210F,99C Melt/Freeze Pt:M.P/F.P Text:ND Vapor Pres:6 Vapor Density:2.11 Spec Gravity:1.1 Solubility in Water:APPRECIABLE Appearance and Odor:PALE YELLOW COLORED LIQUID, MILD NON-OFFENSIVE ODOR

Stability Indicator/Materials to Avoid:YES NK Hazardous Decomposition Products:NO

Waste Disposal Methods: CAN BE INCINERATED WHERE PERMITTED BY LOCAL

STATE, AND FEDERAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabi lity of this information to their particular situation.