

BAKER SEALANTS AND COATINGS CO -- SEALING COMPOUND -- 8030-00-543-4384

=====
Product Identification
=====

Product ID:SEALING COMPOUND

MSDS Date:06/10/1988

FSC:8030

NIIN:00-543-4384

MSDS Number: BHRHV

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986, FAX 201-333-6955

Em

ergency Phone Num:201-333-6986, FAX 201-333-6955

Preparer's Name:CHARLES FRIEDMAN, TECH

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

=====
Composition/Information on Ingredients
=====

Ingred Name:PIGMENTS

Fraction by Wt: 20%

Ingred Name:VEHICLE

Fraction by Wt: 60%

Ingred Name:SOLVENTS

Fraction by Wt: 20%

=====

==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:EYES: IRRITATION, REDNESS, TEARING & BLURRED VISION. SKIN: IRRITATION, DEFATTING & DERMATITUS.

INHALATION: NASAL & RESPIRATORY IRRITATION, DIZZINESS, NAUSEA, HEADACHE & POSSIBLE UNCONSCIOUSNESS & ASPHYXATION. INGESTION: GASTROINTESTINAL IRRITATION, NAUSEA & DIARRHEA.

Effects of Overexposure:EYES: IRRITATION, REDNESS, TEARING & BLURRED

VISION. SKIN: IRRITATION, DEFATTING & DERMATITUS. INHALATION: NASAL & RESPIRATORY IRRITATION, DIZZINESS, NAUSEA, HEADACHE & POSSIBLE UNCONSCIOUSNESS & ASPHYXATION. INGESTION; GASTROINTESTINAL IRRITATION, NAUSEA & DIARRHEA.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: WASH WITH SOAP & WATER. INHALATION: REMOVE INDIVIDUAL TO FRESH AIR & ADMINISTER OXYGEN IF NECESSARY. INGESTION: DRINK TWO GLASSES OF WATER & INDUCE VOMITING. OBJECT IS TO GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:53 F/12 C

Lower Limits:2.5

Upper Limits:12

Extinguishing Media:ALCOHOL FOAM, CO2 OR DRY CHEMICALS.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. KEEP AWAY FROM SOURCES OF IGNITION.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM SOURCES OF IGNITION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. DIKE AREA, USE FLOOR ABSORBENT & SHOVEL INTO CONTAINERS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED RESPIRATOR.

Ventilation:LOCAL EXHAUST OR MECHANICAL.

Protective Gloves:RUBBER, NEOPRENE GLOVES.

Eye Protection:CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:IMPERVIOUS CLOTHING AND BOOTS.

Supplemental Safety and Health

=====

Physical/Chemical Properties =====

Boiling Pt:B.P. Text:180F,82C
Vapor Pres:33
Vapor Density:2.0
Spec Gravity:.784
Evaporation Rate & Reference:7.70 (ETHYL ETHER)
Solubility in Water:100
Appearance and Odor:BROWN VISCOUS LIQUID, ODOR IS PLEASANT
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:STRONG OXIDIZING AGENTS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS PER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.