

MIDLAND DIVISION, THE DEXTER CORPORATION -- LAMINAR X500 STBL GLOSS CLEAR PART A 7020 -- 8030-01-092-3879

=====
===== Product Identification =====

Product ID:LAMINAR X500 STBL GLOSS CLEAR PART A 7020

MSDS Date:02/24/1988

FSC:8030

NIIN:01-092-3879

Kit Part:Y

MSDS Number: BHRJD

=== Responsible Party ===

Company Name:MIDLAND DIVISION, THE DEXTER CORPORATION

Address:31500 HAYMAN

City:HAYWARD

State:CA

ZIP:9

4544

Country:US

Info Phone Num:415-471-7171

Emergency Phone Num:415-796-4972

Preparer's Name:K BUNTON

CAGE:91342

=== Contractor Identification ===

Company Name:DEXTER CORP THE PACKAGING PRODUCTS DIV

Address:1-7 E WATER ST

Box:City:WAUKEGAN

State:IL

ZIP:60085-5614

Country:US

Phone:847-623-4200

CAGE:91342

=====
===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 10-20%

OSHA PEL

:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: < 10%
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:2-ETHOXYETHYL ACETATE (CELLOSOLVE ACETATE) (EGEEA)
CAS:111-15-9
RTECS #:KK8225000
Fraction by Wt: 30-40%
OSHA PEL:S,100 PPM
ACGIH TLV:S, 5 PPM; 9192

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:OVEREXPOSURE BY INHALATION MAY CAUSE
IRRITATION OF THE RESPIRATORY TRACT, HEADACHE, DIZZINESS OR
DROWSINESS.
Effects of Overexposure:INHALATION: IRRITATION OF THE RESPIRATORY
TRACT, HEADACHE, DIZZINESS OR DROWSINESS. SKIN & EYE: IRRITANT TO
THE EYES AND SKIN, AND SKIN SENSITIVITY.
Medical Cond Aggravated by Exposure:RESPIRATORY PROBLEMS R
EPRODUCTIVE
SYSTEM.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE. EYE: FLUSH IMMEDIATELY WITH
LARGE AMOUNTS OF RUNNING WATER AT LEAST 15 MINUTES. SKIN: REMOVE
CONTAMINATED CLOTHING & WASH SKIN WITH SOAP & WATER. INGESTION:
DRINK WATER. IF NECESSARY, CONSULT A PHYSICIAN FOR ANY OF THESE
CONDITIONS.

===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:42.0

F/5.6 C

Lower Limits:1.20

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER
FOG.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION, AVOID BREATHING VAPORS, VENTILATE AREA AND REMOVE WITH INERT ABSORBANT AND NON-SPARKING TOOLS. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. BEFORE ATTEMPTING TO CLEAN UP.

===== Handling and Storage =====
=====

Handling and Storage Precautions:CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES. ENSURE DRUM IS COMPLETELY EMPTY BEFORE WELDING, ETC.

Other Precautions:THE DRUM SHOULD BE INDUSTRIALLY CLEANED PRIOR TO RE-USE. DO NOT FLAME CUT, BRAZE OR WELD WITHOUT A NIOSH APPROVED RESPIRATOR OR APPROPRIATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:GENERAL DILUTION OR LOCAL EXHAUST FAILS TO

ADEQUATELY DILUTE THE TWA/PEL OF THE MATERIAL, THEN RESPIRATORY PROTECTION SHOULD BE USED AS FOLLOWS: DO NOT BREATHE VAPORS OR SPRAY MIST. WEAR APPROPRIATE FITTED RESPIRATOR APPROVED BY NIOSH/OSHA.

Ventilation:PROVIDE GEN DILUTION OR LOCAL EXHAUST VENT TO KEEP TWA & LEL BELOW ACCEPTABLE LIMITS & TO REMOVE DECOMPOSITION PRODUCTS.

Protective Gloves:CHEM-RESISTANT GLOVES.

Eye Protection:CHEMICAL SPLASH GOGGLES/FACE SHIELD

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:172F/78C

Vapor Density:> THAN AIR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:FUMES MAY CONTAIN CARBON MONOXIDE & OXIDES OF NITROGEN. MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO DECOMP AS IN WELDING

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE

WITH LOCAL, STATE AND
FEDERAL REGULATIONS. BEFORE ATTEMPTING TO CLEAN UP.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume res
ponsibility for the suitability of this information to their
particular situation.