

HULS AMERICA INC. -- MIL-L-7808J, MSDS/PRODUCT NUMBER: 0425921 -- 9150-00-782-2627
===== Product Identification =====

Product ID:MIL-L-7808J, MSDS/PRODUCT NUMBER: 0425921

MSDS Date:01/16/1989

FSC:9150

NIIN:00-782-2627

MSDS Number: BHRKF

=== Responsible Party ===

Company Name:HULS AMERICA INC.

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Info Phone Num:201-763-71

73

Emergency Phone Num:201-763-7173

Preparer's Name:P. A. PARKER MANAGER

CAGE:0DH22

=== Contractor Identification ===

Company Name:HUL AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:201-763-7173

CAGE:0DHB8

Company Name:HULS AMERICA INC

Address:TURNER PLACE

Box:365

City:PISCATAWAY

State:NJ

ZIP:08854-0365

Country:US

Phone:908-981-5016

CAGE:0DH22

===== Composition/Information on Ingredients =====

Ingred Name:NO HAZARD INGREDIENT

S STATED BY MANUFACTURERS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: LOW ORAL AND DERMAL TOXICITY.

MISTS OR FUMES FROM EXCESSIVE HEATING MAY CAUSE EYE AND SKIN IRRITATION, NAUSEA, VOMITING, RESPIRATORY TRACT IRRITATION.

CHRONIC:NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS

LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. EYE: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION.

SKIN: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING.

GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:400F,204C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. AVOID SPREADING LIQUID AND FIRE BY WATER FLOODING.

Unusual Fire/Explosion Hazard:EXPOSURE TO HEAT BUILDS UP PRESSURE

INCLOSED CONTAINERS. COOL WITH WATER SPRAY.

===== Accidental Release Measures =====

Spill Release Procedures:COVER WITH AN INERT, ABSORBENT MATERIAL AND REMOVE TO DISPOSAL CONTAINER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT USE OIL ABOVE THE MAXIMUM RECOMMENDED OPERATING TEMPERATURE OF 400 F. WIPE UP SPILLS IMMEDIATELY

Other Precautions:MAY SOFTEN SOME PLASTIC AND PAINT SURFACES. AVOID EYE AND SKIN CONTACT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION.

Ventilation:LOCAL AND MECHANICAL EXHAUST ARE RECOMMENDED.

Protective Gloves:IMPERMEABLE

Eye Protection:CHEM

ICAL SAFETY GOGGLES/SHIELD

Other Protective Equipment:SAFETY SHOWER AND EYE BATH. OTHER EQUIPMENT AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>450F,>232C

Vapor Pres:1

Spec Gravity:< 1.0

Evaporation Rate & Referen
ce:SLOWER THAN BU/AC

Solubility in Water:NEGLIGIBLE

Appearance and Odor:STRAW CLEAR LIQUID; MILD ODOR.

Percent Volatiles by Volume:NONE

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:TOXIC FUMES

=====
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULA

TIONS. DO NOT CONTAMINATE

ANY LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.