

DIVERSIFIED CHEMICAL PRODUCTS,INC -- COAGULANT,WATER TREATMENT -- 6850-01-167-5318

===== Product Identification =====

Product ID:COAGULANT,WATER TREATMENT

MSDS Date:05/01/1988

FSC:6850

NIIN:01-167-5318

MSDS Number: BHWGK

=== Responsible Party ===

Company Name:DIVERSIFIED CHEMICAL PRODUCTS,INC

Address:1100 HOWELL

City:NORTH KANSAS CITY

State:MO

ZIP:64116

Country:US

Info Phone Num:816-472-5515

Emerg

ency Phone Num:816-472-5515

CAGE:OAU34

=== Contractor Identification ===

Company Name:DIVERSIFIED CHEMICAL PRODUCTS,INC

Address:1100 HOWELL

City:NORTH KANSAS CITY

State:MO

ZIP:64116

Country:US

Phone:816-472-5515

CAGE:OAU34

===== Composition/Information on Ingredients =====

Ingred Name:COAGULANT,WATER TREATMENT (CONTAINS NO HAZARDOUS  
INGREDIENTS ACCORDING TO OSHA HAZARD COMMUNICATION STANDARD).

Other REC Limits:N/K

OSHA PEL:N/K

ACGIH TLV:N/K

===== Haza

Product Identification =====

LD50 LC50 Mixture:N/K  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE KNOWN  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:NONE KNOWN  
Medical Condition Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:EYES:RINSE WITH CLEAR WATER FOR AT LEAST 15 MINUTES.IF  
IRRITATION DEVELOPS,CONSULT A  
PHYSICIAN.SKIN/INGESTION/INHALATION:NOT APPLICABLE.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE  
Lower Limits:N/K  
Upper Limits:N/K  
Extinguishing Media:N/K  
Unusual Fire/Explosion Hazard:HAZARDOUS DECOMPOSITION PRODUCTS:OXIDES  
OF NITROGEN.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE UP AREA AFFECTED.SMALL AMOUNTS,RINSE WITH  
WATER OR SOAK UP WITH CLAY.  
Neutralizing Agent:N/K

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED,DO NOT FREEZE.  
Other Precautions:N/K

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.  
Ventilation:USE MECHANICAL (GENERAL) VENTILATION.  
Protective Gloves:WATER RESISTANT  
Eye Protection:CHEMICAL SAFETY GLASSES.  
Other Protective Equipment:APRON AND BOOTS IF WORKING CONDITIONS MERIT.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.  
Supplemental Safety and Health

th

VAPOR PRESSURE:SIMILAR TO WATER.VAPOR DENSITY:SIMILAR TO  
WATER.REACTIVITY IN WATER:NON-REACTIVE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,100C  
Melt/Freeze Pt:M.P/F.P Text:N/K  
Decomp Temp:Decomp Text:N/K  
Vapor Pres:SUPP DATA  
Vapor Density:SUPP DATA  
Spec Gravity:1.035 (WATER=1)  
Evaporation Rate & Reference:N/K  
Solubility in Water:COMPLETE  
Appearance and Odor:WATER WHITE TO PALE YELLOW.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS.  
Hazardous Decomposition Products:OXIDES OF NITROGEN.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH  
FEDERAL,STATE AND LOCAL REGULATIONS.COORDINATION WITH SUPPORTING  
INSTALLATION AND/OR MACOM ENVIRONMENTAL COORDINATION PRIOR TO  
DISPOSAL IS RECOMMENDED TO DETERMINE A  
PPROPRIATE DISPOSAL METHODS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this infor

mation to their  
particular situation.