

MIDLAND DIVISION DEXTER CORP -- ID 0320T136 HS HARDNER MILC85285 -- 8010-01-293-6180

=====
Product Identification
=====

Product ID:ID 0320T136 HS HARDNER MILC85285

MSDS Date:02/28/1990

FSC:8010

NIIN:01-293-6180

Kit Part:Y

MSDS Number: BHXKK

=== Responsible Party ===

Company Name:MIDLAND DIVISION DEXTER CORP

Address:31500 HAYMAN ST

City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Info Phone Num:415-

471-7171

Emergency Phone Num:415-471-7171, 415-791-1961 (NIGHT)

Preparer's Name:CAP

CAGE:98795

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER CROWN METRO AEROSPACE DIV

Address:31500 HAYMAN ST

Box:City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Phone:510-471-7171

CAGE:98795

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 10-20%

Other REC Limits

:STEL 300 PPM
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:VOLATILE ORGANIC CONTENT 1.352 POUNDS PER GALLON LESS WATER
RTECS #:9999999VO

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITANT TO EYES, SKIN AND SKIN
SENSITIVITY. MAY AFFECT RESPIRATORY TRACT, CENTRAL NERVOUS SYSTEM,
ALLERGIC RESPIRATORY AND SKIN REACTION.
Effects of Overexposure:OVEREXPOSURE BY INHALATION MAY CAUSE IRRITATION
OF THE RESPIRATORY TRACT, HEADACHE, DIZZINESS, OR DROWSINESS.
Medical Cond Aggravated by Exposure:RESPIRATORY PROBLEMS.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF RUNNING WATER
FOR AT LEAST 15 MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING AND
WASH SKIN WITH SOAP AND WATER. INHALATION: REMOVE FROM EXPOSURE.
INGESTION: DRINK WATER. IF NECESSARY, CONSULT A PHYSICIAN FOR ANY
OF THESE CONDITIONS.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:26.0F,-3.3C
Lower Limits:1.80
Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL, OR CARBON
DIOXIDE

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION, AVOID
BREATHING VAPORS

, VENTILATE AREA, AND REMOVE WITH INERT ABSORBANT AND NON-SPARKING TOOLS.

=====
Handling and Storage
=====

Handling and Storage Precautions:CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES. MAKE SURE THE DRUM IS COMPLETELY EMPTY BEFORE WELDING

Other Precautions:DO NOT TAKE INTERNALLY! THE DRUM SHOULD BE INDUSTRIALLY CLEANED PRIOR TO REUSE. DO NOT FLAME CUT, BRAZE, OR WELD WITHOUT NIOSH APPROVED RESPIRATOR OR APPROPRIATE VENTILATION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WHERE GENERAL DILUTION OR LOCAL EXHAUST FAILS TO ADEQUATELY DILUTE THE TWL/PEL, USE RESPIRATOR PROTECTION IN ACCORDANCE WITH NIOSH/OSHA. SEE FILE FOR MORE INFORMATION.

Ventilation:PROVIDE GENERAL DILUTION OR LOCAL EXHAUST VENT TO KEEP TWA AND LEL BELOW ACCEPTABLE LIMITS AND REMOVE DECOMPOSITION PROD

Protective Gloves:CHEMICAL RESISTANT GLOVES

Eye Protection:

SPLASH PROOF SAFETY GLASSES

Other Protective Equipment:NIOSH/MSHA APPROVED AIR LINE TYPE RESPIRATORS OR HOODS FOR ENCLOSED AND CONFINED AREAS.

Work Hygienic Practices:KEEP CONTAINER CLOSED WHEN NOT IN USE.

Supplemental Safety and Health

METHYL ETHYL KETONE (15%) IS LISTED UNDER SARA 313.

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:>172F,>78C

Vapor Density:>THAN AIR

=====
Stability and Reactivity Data
=====

Stability

Indicator/Materials to Avoid:NO

DO NOT ALLOW WATER TO ENTER SEALED DRUMS AS THEY MAY EXPLODE.

Stability Condition to Avoid:WATER AND WATER PRODUCTS CAUSE HEAT AND FUMES.

Hazardous Decomposition Products:FUMES MAY CONTAIN CARBON MONOXIDE AND OXIDES OF NITROGEN. WELDING MAY PRODUCE HAZARDOUS FUMES.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided)

with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.