

HEXAGON ENTERPRISES, INC. -- MIL-L-7808J AIRCRAFT TURBINE OIL -- 9150-00-782-2627

=====
Product Identification
=====

Product ID:MIL-L-7808J AIRCRAFT TURBINE OIL

MSDS Date:01/01/1987

FSC:9150

NIIN:00-782-2627

MSDS Number: BHYCT

=== Responsible Party ===

Company Name:HEXAGON ENTERPRISES, INC.

Address:60 MIDVALE ROAD

City:MOUNTAIN LAKES

State:NJ

ZIP:07046

Country:US

Info Phone Num:201-263-2600

Emerg

ency Phone Num:201-263-2600

CAGE:0BJL6

=== Contractor Identification ===

Company Name:HEXAGON ENTERPRISES INC

Address:60 MIDVALE RD

Box:City:MOUNTAIN LAKES

State:NJ

ZIP:07046

Country:US

Phone:201-263-2600, CHEMTREC 800-424-9300

CAGE:0BJL6

=====
Composition/Information on Ingredients
=====

Ingred Name:TAR ACIDS, CRESYLIC,PHENYL,PHOSPHATE

CAS:68952-35-2

Other REC Limits:NONE SPECIFIED

Ingred Name:N-PHENYL-ALPHA-NAPHTHYLAMINE

CAS:90-30-2

RTECS #:QM4500000

Other REC Limits:NONE

SPECIFIED

Ingred Name:P,P'-DIOCTYLDIPHENYLAMINE
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT IS VERY MILDLY IRRITATING TO
BODY TISSUES. MOST LIKELY HAZARD IS THAT OF BREATHING THE MIST OR
VAPORS SHOULD THE PRODUCT BE HEATED OR MISTED.
Effects of Overexposure:EYE:MILD IRRITATION. S
KIN:POSSIBLE MILD
IRRITATION. INHALED:RESPIRATORY IRRITATION,POSSIBLE PULMONARY EDEMA
IF MIST IS INHALED. INGESTED:NONE REPORTED.
Medical Cond Aggravated by Exposure:NONE REPORTED

=====
First Aid Measures
=====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH
SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE
REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF
NECESSARY. INGESTED:DO NOT INDUCE VOMIT
ING. GIVE 2 LARGE GLASSES
OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE. GIVE NOTHING BY
MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A
DOCTOR.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:410F,210C
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER
FOG. WATER, ESPECIALLY STREAM, MAY CAUSE FROTHING.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL P
ROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures
=====

Spill Release Procedures:RECOVER AS LIQUID IF POSSIBLE. ADSORB
REMAINDER ON EARTH,SAND,SAWDUST,ETC. KEEP OUT OF DRAINS, SEWERS,
AND WATERWAYS. STORE IN CLOSED CONTAINERS PENDING DISPOSAL.
Neutra

lizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA.

Other Precautions:MAY ATTACK PAINT OR LAQUER. FOR INDUSTRIAL USE ONLY

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR RESPIRATOR FOR OIL MIST IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR

1910.134 FOR

REGULATIONS PERTAINING TO RESPIRATOR USE.

Ventilation:NORMAL ROOM VENTILATION SHOULD BE SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF NEEDED (OIL MIST).

Protective Gloves:OIL RESISTANT

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS NEEDED TO PREVENT PROLONGED/REPEATED CONTACT.

Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. MINIMIZE PERSONAL CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>440F,>227C

Vapor Pres:NEGLIGIBLE

Spec Gravity:0.954

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR AMBER LIQUID,SLIGHT MILD ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS,STRONG ACIDS, STRONG BASES

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES

Hazardous Decomposition Products:CARBON

DIOXIDE,CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE, LOCAL REGULATIONS.
DGSC-SSH SUGGESTS INCINERATE IF UNABLE TO RECYCLE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.