

ELECTRONIC SYS GP/NORTHROP PRECS. DIV -- T.G. GIMBAL-78080-302 -- 1420-00-929-0199
===== Product Identification =====

Product ID:T.G. GIMBAL-78080-302

MSDS Date:06/01/1989

FSC:1420

NIIN:00-929-0199

MSDS Number: BJCRC

=== Responsible Party ===

Company Name:ELECTRONIC SYS GP/NORTHROP PRECS. DIV

Address:100 MORSE STREET

City:NORWOOD

State:MA

ZIP:02062

Info Phone Num:(617) 762-5300

Emergency Phone Nu

m:(617) 762-5300

CAGE:88932

=== Contractor Identification ===

Company Name:ELECTRONIC SYS GP/NORTHROP PRECS. DIV

Address:100 MORSE STREET

Box:City:NORWOOD

State:MA

ZIP:02062

Phone:(617) 762-5300

CAGE:88932

===== Composition/Information on Ingredients =====

Ingred Name:BERYLLIUM (SARA III)

CAS:7440-41-7

RTECS #:DS1750000

Fraction by Wt: 100%

OSHA PEL:2 UG/M3

ACGIH TLV:0.002PPM; A2; 9293

===== Hazards Identification =====

Routes of Entry: In

halation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: PNEUMONITIS, PULMONARY EDEMA, LIVER DAMAGE, SPLEEN & HEART, LESIONS, COUGH, CHEST PAIN, SHORTNESS OF BREATH, WEAKNESS, CHILLS, FEVER, & LUNG DISEASE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: PHENUMONITIS, PULMONARY EDEMA, LIVER DAMAGE, SPLEEN & HEART, LESIONS, COUGH, CHEST PAIN, SHORTNESS OF BREATH, WEAKNESS, CHILLS, LUNG DISEASES.

Medical Cond Aggravated by Exposure:LUNG DISEASE

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR, RESTORE BREATHING, GET MED ATT. EYES: FLUSH W/RUNNING WATER FOR 15 MINS, INCLUDING UNDER EYELIDS, SEEK MED ATT. SKIN: WASH W/SOAP & WATER. SEEK MEDICAL ATTENTION. INGESTION: NOT CONSIDERED A HAZARD BECAUSE ABSORPTION IS SO LOW.

=====
===== Fire Fighting Measures =====

Exting

uishing Media:DRY POWDER EXTINGUISHER, SAND OR SALT. DON'T USE WATER OR CO2

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:A CLOUD OF BERYLLIUM DUST IN AIR CAN BE EXPLOSIVE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE/ENCLOSE AREA. CLEAN WHILE USING RESPIRATORS/PROTECTIVE CLOTHING.

=====
===== Handling and Storage =====

===

Handling and Storage Precautions:WASH HANDS & ARMS BEFORE LEAVING. NO EATING, DRINKING OR SMOKING IN CONTROLLED AREA. KEEP IN DRY AREA FROM CHEMICALS. DON'T PRODUCE DUST.

Other Precautions:BERYLLIUM FABRICATION OPERATIONS MUST BE DONE IN A CONTROLLED BERYLLIUM AREA.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FULL FACE HEPA RESPIRATOR >10 UG/CUM, SCBA >50 UG/CUM.

Ventilation:LOCAL EXHAUST: W/HEPA FILTRATION. MECHANICAL: ROOM

MUST

HAVE NEGATIVE PRESSURE.

Protective Gloves:AS REQUIRED

Eye Protection:MANDATORY

Other Protective Equipment:PROTECTIVE CLOTHING, COATS, GARMENTS.

Work Hygienic Practices:WASH HANDS/ARMS BEFORE LEAVING. NO EATING,
DRINKING OR SMOKING IN CONTROLLED AREA.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:2970C

Melt/Freeze Pt:M.P/F.P Text:1280C

Vapor Pres:7.6

Spec Gravity:1.85

Solubility in Water:INSOLUBLE

Appearance

and Odor:GRAY METAL; NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

PHOSPHOROUS, FLUORINE, CHLORINE, MOLTEN LITHIUM, FREON/METHANOL
MIXTURES.

Stability Condition to Avoid:ACIDS, BASES, CHLORINATED HYDROCARBONS.

Hazardous Decomposition Products:OXIDES OF BERYLLIUM

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND
FEDERAL REG
ULATIONS. POISON LABEL REQUIRED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this inform

ation to their
particular situation.