View NSN Online: https://aerobasegroup.de/nsn/6850-01-263-8226

Product ID:ARDROX 9PR3;NON-AQUEOUS EMULSIFIER MSDS Date:06/06/1986 FSC:6850 NIIN:01-263-8226 MSDS Number: BJDWX === Responsible Party === Company Name:ARDROX INC Address:16961 KNOTT AVE City:LA MIRADA State:CA ZIP:90638-6015 Country:US Info Phone Num:714-739-2821 Emergency Phone Num:800-424-9300

Preparer's Name:ABAYOMI I.OWEI CAGE:23373 === Contractor Identification === Company Name:BRENT AMERICA, INC. Address:16961 KNOTT AVE. Box:City:LA MIRADA State:CA ZIP:90638-6015 Country:US Phone:714-739-2821 CAGE:23373

Ingred Name:AROMATIC PETROLEUM SOLVENT (PETROLEUM DISTILLATE) CAS:8002-05-9 RTECS #:SE7449000 Fraction by Wt: >50.0% Other REC Limits:NONE SPECIFIED

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED) Other REC

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES, SKIN, RESPIRATORY OR G.I. TRACTS; CNS EFFECTS LIKE HEADACHE.DIZZINESS.NAUSEA AND VOMITING. REDNESS OR BURNS OF EYES/SKIN POSSIBLE.CHRONIC:DRYING OF SKIN, DEFATTING OR DERMATITIS.L UNGS DAMAGE POSSIBLE. **Explanation of Carcinoge** nicity:DATA PER MSDS Effects of Overexposure: MAY CAUSE IRRITATION OF EYES, SKIN, RESPIRATORY OR G.I.TRACTS; MAY CAUSE HEADACHE, DIZZINESS, NAUSEA, VOMITING OR GI TRACT DISTURBANCES POSSIBLE.BURNS OR REDNESS OF EYES/CRACKING OR DRYNESS OF SKIN. Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

================== Fire Fighting Measures

Flash Point:290F,143C
Lower Limits:1.1
Upper Limits:5.9
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:TOXIC VAPORS/MIST DUE TO COMBUSTION

PRODUCT. CONTAINER MAY EXPLODE.

============== Accidental Release Measur

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER. Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORE IN A COOL,(>32F & 300F,>149C Vapor Pres:1.0 Spec Gravity:0.965 Evaporation Rate & amp; Reference: