View NSN Online: https://aerobasegroup.de/nsn/6850-01-263-8228

## ARDROX INC -- ARDROX 985 P-11; DYE PENETRANT-FLUORESCENT -- 6850-01-263-8228

============= Product Identification ========================

Product ID:ARDROX 985 P-11;DYE PENETRANT-FLUORESCENT

MSDS Date:06/04/1986

FSC:6850

NIIN:01-263-8228

MSDS Number: BJFBM === Responsible Party === Company Name:ARDROX INC Address:16961 KNOTT AVE

City:LA MIRADA

State:CA

ZIP:90638-6015 Country:US

Info Phone Num:714-739-2821

Emergency Phone Nu

m:800-424-9300

Preparer's Name: ABAYOMI I.OWEI

CAGE:23373

=== Contractor Identification ===

Company Name: BRENT AMERICA, INC.

Address:16961 KNOTT AVE.

Box:City:LA MIRADA

State:CA

ZIP:90638-6015

Country:US

Phone:714-739-2821

CAGE:23373

======= Composition/Information on Ingredients ========

Ingred Name:DITRIDECYLPHTHALATE(PHTHALATE)

Fraction by Wt: >30.0%

Other REC Limits: NONE SPECIFIED

Ingred Name:SURFACTANTS

Other REC Limits: NONE SPECIFIED

Ingred Name:FLUORESCENT DYE

Other REC L

========== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN,RESPIRATORY OR G.I.TRACTS;INGESTION MAY CAUSE STOMACH UPSET. Explanation of Carcinogenicity:DATA PER MSDS
Explanation of Carcinogenicity. DATA PER MSDS  Effects of Overexposure: MAY CAUSE IRRITATION OF EYES, SKIN, RESPIRATORY  OR G.I.TRACTS; INGESTION MAY CAUSE STOMACH UPSE  T.
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.
======================================
First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTA
MINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.
============= Fire Fighting Measures ===============
Flash Point Method:PMCC Flash Point:200F,93C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL. Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMEN
T WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:NONE NOTED BY THE MFR
========== Accidental Release Measures ==========
Spill Release Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.  Neutralizing Agent:NOT APPLICABLE.
========== Handling and Storage ======

imits:NONE SPECIFIED

=========

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE NEEDED WITH ADEQUATE VENTILATION.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves: NEOPRENE, NITRILE, OR NATURAL RUBBER Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health AVOID PROLONGED OR REPEATED EXPO SURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

======== Physical/Chemical Properties ==========

HCC:V4
Boiling Pt:B.P. Text:266F,130C
Vapor Density:1.0
Spec Gravity:0.893
Evaporation Rate & Description Reference: