

SOUTH COAST TERMINALS, INC -- 1125 ULTRALUBE ENG OIL,SAE 10W,PART#:M2104-4-10W/
M2104-5-10 -- 9150-00-191-2772

===== Product Identification =====

Product ID:1125 ULTRALUBE ENG OIL,SAE 10W,PART#:M2104-4-10W/ M2104-5-10

MSDS Date:11/14/1994

FSC:9150

NIIN:00-191-2772

MSDS Number: BJFNH

=== Responsible Party ===

Company Name:SOUTH COAST TERMINALS, INC

Address:7401 WALLISVILLE ROAD

Box:15535

City:HOUS

TON

State:TX

ZIP:77020

Country:US

Info Phone Num:713-672-2401 EXT 301

Emergency Phone Num:713-672-2401/800-424-9300(CHEMTREC)

CAGE:1L506

=== Contractor Identification ===

Company Name:NAUGHTON ENERGY CORP

Address:RT 940

Box:709

City:POCONO PINES

State:PA

ZIP:18350-0709

Country:US

Phone:570-646-0422

CAGE:1DL10

Company Name:SOUTH COAST TERMINALS, INC

Address:7401 WALLISVILLE ROAD

Box:15535

City:HOUSTON

State:TX

ZIP:77020

Country:US

Phone:713-672-2401/800-424-9300(CHEMTREC)

CAGE:1L506

=====

= Composition/Information on Ingredients =====

Ingred Name:LUBRICATING OIL BASE STOCK
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC SALT OF DIALKYL DITHIOPHOSPHORIC ACID
Other REC Limits:NONE RECOMMENDED

Ingred Name:PER MSDS:THE IDENTITIES OF INGRED THAT ARE TRADE SECRETS
ARE EXCLUDED FROM THIS LIST.
RTECS #:9999999ZZ
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:
NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACCIDENTAL INGESTION MAY CAUSE IRRIT
OF DIGESTIVE TRACT. MATL MAY CAUSE EYE IRRIT. DIRECT CONTACT MAY
CAUSE BURING, TEARING, REDNESS. MATL MAY CAUSE SKIN IRRIT.
PROLON/REPEAT CONTACT MAY CAUSE BURNING , REDNESS, DERMATITIS. EXPO
TO HEATED MIST/VAPOR MAY CAUSE IRRIT TO MOSE/THROAT.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures

=====

First Aid:IF INGEST DO NOT INDUCE VOMIT.CALL DR IMMED. FOR DIRECT
CONTACT FLUSH AFFECTED EYE(S) W/CLEAN WATER.IF IRRIT/REDNESS
PERSISTS SEEK MED ATTN. WASH SKIN W/SOAP/WATER.REMOVE CONTMAIN
CLOTH.IF IRRIT/REDNE SS PESISTS SEEK MED ATTN. IF IRRIT OF
NOSE/THROAT DEVELOPS MOVE AWAY FROM SOURCE OF EXPO.IF IRRIT PESISTS
SEEK MED ATTN. MED OPINION IS DIVIDED FOR LG INGESTIONS. EMESIS OR
LAVAGE RECOMMENDED (SUPPLE)

===== Fire Fighting
Measures =====

Flash Point:392F,200C

Extinguishing Media:EXTINGUISH W/DRY CHEMICAL, CO2, WATER SPRAY, FOAM,
SAND OR EARTH. WATER & FOAM MAY CAUE FROTHING.

Fire Fighting Procedures:RESPIRATORY PROTECTION & EYE PROTECTION
REQUIRED FOR FIRE FIGHTING PERSONNEL.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:TREAT AS AN OIL SPILL. CONTAIN & REMOVE BY
MECHANICAL MEANS.

=====

=== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED.
Ventilation:IF CURRENT VENTI PRAC ARE NOT ADEQ IN MAINTAINING AIRBORNE
CONC BELOW ESTABLISHED EXPO LIMITS MECH VENTI IS RECOMMENDED.
Protective Gloves:CHEMICAL RESISTANCT GLOVES
Eye Protection:SAFETY GOGGLES OR SPLASH
GOGGLES
Other Protective Equipment:NONE.
Work Hygienic Practices:WASH HANDS AFTER HANDLING. LAUNDER CONTAMINATED
CLOTHING PRIOR TO REUSE.
Supplemental Safety and Health
1ST AID:FOR THOSE PETRO PRODUCTS WHICH HAVE HIGH ORAL TOXICITY.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>500F,>260C
Vapor Pres:AIR
Spec Gravity:0.87-0.88
pH:NEUTRA
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:NEGLIGIBLE
Appearance and Odor:DA
RK AMBER LIQUID, MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZERS.
Stability Condition to Avoid:CONDITIONS OF HIGH HEAT MAY CAUSE THERMAL
DECOMPOSITION.
Hazardous Decomposition Products:IN PRESENCE OF AIR MAY YIELD MAJOR
AMTS OF OXIDES OF CARBON & MINOR AMTS OF OXIDES OF
SULFUR,NTIROGEN,PHOSPORUS & ZINC.

===== Disposal Considerations =====

Waste Disposal

Methods: DISPOSAL MUST BE IN ACCORDANCE W/APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. ENCLOSED-CONTROLLED INCINERATION IS RECOMMENDED UNLESS DIRECTED OTHERWISE BY APPLICABLE ORDINANCES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.