

MAGNAFLUX CORPORATION -- SULFUR HEXAFLUORIDE 300660 -- 6635-01-057-2173

=====
Product Identification
=====

Product ID:SULFUR HEXAFLUORIDE 300660
MSDS Date:10/01/1985
FSC:6635
NIIN:01-057-2173
MSDS Number: BJFRD
=== Responsible Party ===
Company Name:MAGNAFLUX CORPORATION
Address:7300 W LAWRENCE AVE
City:CHICAGO
State:IL
ZIP:60656-3504
Country:US
Emergency Phone Num:708-867-8000 EXT 3219
CAGE:37676

==== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV
Address:3624 WEST LAKE AVENUE
Box:City:GLENVIEW
State:IL
ZIP:60025
Country:US
Phone:847-657-5300/
CAGE:37676

=====
Composition/Information on Ingredients
=====

Ingred Name:SULFUR HEXAFLUORIDE
CAS:2551-62-4
RTECS #:WS4900000
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9192

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE S

PECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:SULFUR HEXAFLUORIDE IS
CONSIDERED TO BE NONTOXIC. IT CAN ACT AS A SIMPLE ASPHYXIANT BY
DISPLACING AIR. SYMPTOMS OF ASPHYXIA INCLUDE RAPID RESPIRATIONS,
DIZZINESS AND FATIGUE. CONTACT MAY CAUSE FROSTBITE.CHRONIC:NONE
KNOWN.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:NONE SPECIFIED BY M
ANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL:MOVE VICTIM TO FRESH AIR. IF NOT BREATHING, GIVE ARTF
RESP, PREFERABLY MOUTH TO MOUTH. IF BREATHING IS DIFFICULT, GIVE
OXYGEN. CALL A PHYSICIAN. CONTACT:TREAT FOR FROSTBITE.

=====
===== Fire Fighting Measures =====

Extinguishing Media:NONE SPECIFIED BY MANUFACTURER.

Fire Fighting Procedures:US

E NIOSH/MSHA APPROVED SCBA AND FULL

PROTECTIVE EQUIPMENT. . EXTING SURROUND FIRE&KEEP CYL COOL.

Unusual Fire/Explosion Hazard:SULFUR HEXAFLOURIDE IS NONFLAMMABLE &
DOES NOT CREATE FIRE HAZARD. CYLS THAT ARE EXPOS TO FIRE MAY
RUPTURE W/VIOLENT FORCE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE THE AREA. PERSONNEL ENTERING THE
AREA SHOULD WEAR NIOSH/MSHA APPROVED POSITIVE PRESSURE SCBA.

Neutralizing Agent:NONE SPECIFIED B
Y MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:CYLINDERS SHOULD BE STORED AND USED IN
DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF HEAT.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE
FOR EXPOSURE OF CONCERN. .

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:IM

PERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Vapor Pres:320 PSIG

Vapor Density:20C

Solubility in Water:5.4CM3/KG(@1ATM.25C)

Appearance and Odor:AT ROOM TEMP IT IS A COLORLESS, ODORLESS, NONTOXIC GAS. SHIPPED LIQUEFIED GAS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:ORGANOMETALLICS&CHEM ACTIVE METALS SUCH AS SODIUM,POTASSIUM&BARIUM,POWDERED MG,POWDERED AL.REACTS VIGOROUSLY W/DISILANE.

Hazardous Decomposition Products:WHEN HEATED TO DECOMPOSITION OR EXPOSED TO ELECTRIC ARCS, TOXIC FLUORIDE AND SULFUR COMPOUNDS ARE RELEASED.

===== Disposal Considerations =====

Waste Disposal Methods:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.