

PROCTOR AND GAMBLE DISTRIBUTION CO -- ORVUS WA PASTE 60470, 60285 -- 6750-00-912-3515
===== Product Identification =====

Product ID:ORVUS WA PASTE 60470, 60285
MSDS Date:03/01/1988
FSC:6750
NIIN:00-912-3515
MSDS Number: BJJFZ
=== Responsible Party ===
Company Name:PROCTOR AND GAMBLE DISTRIBUTION CO
Address:630 MAIN ST
Box:85524
City:CINCINNATI
State:OH
ZIP:45224
Country:US
Info Phone Num:513-562-1100
Emergency Phone Num:513-562-1100
CAGE:2V084
=== Contractor Identification ===
Company Name:CATLANA INSTRUMENT CORP
CAGE:30225
Company Name:PROCTOR AND GAMBLE DISTRIBUTION CO
Address:630 MAIN ST
Box:85524
City:CINCINNATI
State:OH
ZIP:45202-2509
Country:US
CAGE:2V084

===== Composition/Information on Ingredients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000

Ingred Name:SODIUM ALKYL SULFATE

===== Hazards Identification =====

LD5

0 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ORVUS WA PASTE MAY BE IRRIT TO SKIN OR EYES.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:EXPECTED TO BE EMETIC. EYE CONTACT WITH THE PRODUCT OR ITS AQUEOUS SOLUTION MAY CAUSE MILD TRANSIENT IRRITATION.

Medical Cond Aggravated by Exposure:NONE.

=====
First Aid Measures =====

First Aid:INGEST: DILUTE WITH WATER OR MILK AND TREAT SYMPTOMATICALLY.
EYE CONTACT: FLUSH WITH WATER THOROUGHLY FOR 15 MINUTES. SKIN IRRITATION: DISCONTINUE USE, APPLY COLD COMPRESS TO RELIEVE IRRITATION.

=====
Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:200F,93C

Extinguishing Media:MATERIAL IS 70 % WATER, NOT LIKELY TO BURN.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL

PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
Accidental Release Measures =====

Spill Release Procedures:NEUTRALIZATION NOT REQUIRED. FLUSH SURFACE WITH WATER.

Neutralizing Agent:NEUTRALIZATION NOT REQUIRED.

=====
Handling and Storage =====

Handling and Storage Precautions:STORE WELL BELOW 140F AND MAINTAIN PH ABOVE 7.0 TO PREVENT DECOMPOSITION.

Other Precautions:IF A SPRAY OR

MIST IS GENERATED, USE A BUREAU OF
MINES- OSHA APPROVED RESPIRATOR FOR ORGANIC MIST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED FOR NORMAL USE.
Ventilation:MECHANICAL (GENERAL): ACCEPTABLE . LOCAL: NONE REQUIRED FOR
NORMAL USE.
Protective Gloves:PLASTIC OR RUBBER.
Eye Protection:CHEMICAL WORKERS GOGGLES
Other Protective Equipment:NONE REQUIRED WITH NORMAL USE.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:210F,99C
Vapor Pres:20 MM/HG
Spec Gravity:1.04
Solubility in Water:COMPLETE
Appearance and Odor:WHITE PASTE OR AMBER LIQUID, FAINT DETERGENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID MIXING WITH STRONG ACIDS.
Stability Condition to Avoid:DECOMPOSE ABOVE 140F OR IF PH FALLS BELOW
7.
Hazardous Decomposition Products:SULFUR DIOXIDE, HYDROGEN SULFIDE

===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT IS A BIODEGRADABLE SURFACTANT. IF
PERMITTED,FLUSH DOWN SEWER WITH LARGE EXCESS OF WATER OR DISPOSE AT
LANDFILL.DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the

Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.