

UNION CARBIDE CORP -- MOLECULAR SIEVE TYPE 4 A -- 6850-01-213-1235

===== Product Identification =====

Product ID:MOLECULAR SIEVE TYPE 4 A

MSDS Date:01/01/1987

FSC:6850

NIIN:01-213-1235

MSDS Number: BJJJS

=== Responsible Party ===

Company Name:UNION CARBIDE CORP

Address:270 PARK AVE 8TH FLOOR

City:NEW YORK

State:NY

ZIP:10017-2014

Country:US

Info Phone Num:304-744-3487

Emergency Phone Num:304-744-34

87

CAGE:9B634

=== Contractor Identification ===

Company Name:SUD-CHEMIE INC/SUB CHEMIE PERFORMANCE PACKAGING DIV

Address:926 SOUTH 8TH ST (FORMALLY HUMIDIAL)

Box:610

City:COLTON

State:CA

ZIP:92324-0610

Country:US

Phone:909-825-1793

CAGE:00334

Company Name:UNION CARBIDE CORP

Address:270 PARK AVE 8TH FLOOR

Box:City:NEW YORK

State:NY

ZIP:10017-2014

Country:US

CAGE:9B634

===== Composition/Information on Ingredients =====

Ingred Name:ZEOLITES (CHEMICAL NAME: MOLECULAR SIEVE TYPE 4

A; CHEMICAL
FAMILY: SODIUM ALUMINO SILICATES)

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITATION OF EYES, NOSE AND THROAT BY
DUST. BREATHING DUST MAY BE HARMFUL. MAY CAUSE SKIN IRRITATION.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE
OXYGEN/ARTIFICIAL RESPIRATION) .INGEST: CALL MD IMMEDIATELY .EYE
CONTACT:IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MIN.GET
MD I F IRRIT PERSISTS.

=====
===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE
Unusual Fire/Explosion Hazard
:NONE KNOWN

=====
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP AND PLACE IN A WASTE DISPOSAL
CONTAINER.FLUSH AREA W/ WATER. AVOID RAISING DUST.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:OPEN CONTR SLOWLY TO AVOID DUST.DO NOT
GET IN EYES.AVOID BRTHG DUST&PRLNGD CNTCT W/SKIN.USE W/ADEQ VENT.
KEEP CONTR CLOSED. WASH THORO AF
TER HANDLING.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF THERE IS EXCESSIVE DUSTINESS, WEAR A
NIOSH/MSHA APPROVED RESPIRATOR SELECTED AS PER OSHA 29 CFR
1910.134.
Ventilation:SEE OSHA 29 CFR 1910.134.USE WITH ADEQUATE VENTILATION.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Pract

ices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NO TLV'S HAVE BEEN ESTABLISHED FOR THIS PRODUCT IN OSHA 29 CFR
1910.1000 (1976) OR ACGIH 1977. PH: IF IN AQUEOUS SLURRY-- 8-11.

===== Physical/Chemical Properties =====

Spec Gravity:1.1

pH:SUPDAT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:NO ODOR-DEPENDING ON PRODUCT MAY APPEAR AS A
BEAD,PELLET,MESH OR POWDER.

===== Stability and Reactivity Data =====

Stab

ility Indicator/Materials to Avoid:YES

SUDDEN CONTACT W/ HIGH CONCENTRATIONS OF CHEMICALS HAVING HIGH HEATS OF
ADSORPTION SUCH AS OLEFINS,HCL,ETC.

Stability Condition to Avoid:NONE KNOWN

Hazardous Decomposition Products:NONE KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:BURY IN LANDFILL.DISPOSAL MUST BE IN ACCORDANCE
WITH FEDERAL,STATE AND LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):

Thi

s information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.