View NSN Online: https://aerobasegroup.com/nsn/6115-00-700-8035

SPAULDING COMPOSITES CO INC -- G-9-851 -- 6115-00-700-8035

============ Product Identification =============

Product ID:G-9-851

MSDS Date:07/01/1989

FSC:6115

NIIN:00-700-8035

Kit Part:Y

MSDS Number: BJKPM === Responsible Party ===

Company Name: SPAULDING COMPOSITES CO INC

Address:310 WHEELER STREET

City:TONAWANDA

State:NY

ZIP:14151-5101

Country:US

Info Phone Num:716-692-2000

Emergency Phone Num:716-692-2000

CAGE :56137

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO

Address:3135 EASTON TURNPIKE

Box:City:FAIRFIELD

State:CT ZIP:06431 Country:US

Phone:800-626-2000/800-626-2004 (CHRIS)

CAGE:24446

Company Name: LELAND ELECTROSYSTEMS INC

Address:1200 LAWERENCE PKWY

Box:City:ERIE State:PA ZIP:16531 Country:US

Phone:814-875-2916

CAGE:0F796

Company Name: SPAULDING COMPOSITES CO INC

Address:310 WHEELER ST Box:City:TONAWANDA

State:NY

ZIP:14151-5101 Country:US

Phone:716-692-2000

CAGE:56137

======

===== Composition/Information on Ingredients =======
Ingred Name:THERMOSET COMPOSITE LAMINATE CONSISTING OF A CURED MELAMINE-FORMALDEHYDE RESIN ON A GLASS SUBSTRATE. Other REC Limits:NOT KNOWN
============ Hazards Identification =============
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: SOME PEOPLE ARE EXTREMEL Y SENSITIVE TO GLASS FIBERS PRODUCING DERMATITIS ON CONTACT. CHRONIC: SOME PEOPLE WHEN EXPOSED MAY DEVELOP AN ALLERGIC REACTION AFTER PROLONGED OR REPEATED EXPOSURE. Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:DUST MAY CAUSE MINOR IRRITATIONS TO EYES AND NASAL PASSAGES, SKIN RASH OR DERMATITIS. Medical Cond Aggravated by Exposure:UNKNOWN, POSSIBLE ALLERGIES. INHALATION OF DUST MAY AGGRAVATE PRE-EXISTING RESPIRATORY DISORDERS. DUST CONTACT WITH SKIN MAY AGGRAVATE PRE-EXISTING SKIN DISORDERS.
======================================
First Aid:DUST IN EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. CHANGE AND WASH CONTAMINATED CLOTHING IF SYMPTOMS DEVELOP AND PERSIST, SEEK MEDICAL ATTENTION.
First Aid:DUST IN EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. CHANGE AND WASH CONTAMINATED CLOTHING IF
First Aid:DUST IN EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. CHANGE AND WASH CONTAMINATED CLOTHING IF SYMPTOMS DEVELOP AND PERSIST, SEEK MEDICAL ATTENTION.
First Aid:DUST IN EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. CHANGE AND WASH CONTAMINATED CLOTHING IF SYMPTOMS DEVELOP AND PERSIST, SEEK MEDICAL ATTENTION. ===================================
First Aid:DUST IN EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. CHANGE AND WASH CONTAMINATED CLOTHING IF SYMPTOMS DEVELOP AND PERSIST, SEEK MEDICAL ATTENTION. ===================================
First Aid:DUST IN EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. CHANGE AND WASH CONTAMINATED CLOTHING IF SYMPTOMS DEVELOP AND PERSIST, SEEK MEDICAL ATTENTION. ===================================

Respiratory Protection: SPECIAL: NIOSH/MSHA APPROVED DUST RESPIRATOR. AIR FILTERED WORK BOOTHS.

Ventilation:LOCAL EXHAUST PREFERRED, IF MECH SYS USED, ENSURE ADEQUATE VENTILATION. FUMES SHOULD BE EXHAUSTED WHEN HEATING PROD.

Protective Gloves: DESIRABLE. MANDATORY IF ALLERGIC TO PROD

Eye Protection: SFTY GLASSES W/ FACESHIELD, OR GOGGLES

Other Protective Equipment:WEAR PROTECTIVE COVERALLS, IF NECESSARY WHEN MACHINING, TO PREVENT CONTACT WITH DUST.

Work Hygienic Practices: WASH HANDS BE

FORE HANDLING FOOD. DO NOT SMOKE,

DRINK, OR EAT IN DUSTY ATMOSPHERE. DO NOT TAKE INTERNALLY.

Supplemental Safety and Health

THIS IS ONE OF THREE HAZARDOUS COMPONENTS OF A MULTI-PART (60 PARTS TOTAL) KIT.

Appearance and Odor:WHITE TO GREY-BROWN COLOR WITH NO ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materi als to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, MELAMINE, HYDROGEN CYANIDE, NITROGEN OXIDES, AND FORMALDEHYDE.

======= Disposal Considerations ============

Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for u se by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.