

DARMEX INDUSTRIAL CORP -- FOOD GRADE LUBRICATING GREASE FOR MACHINERY --
9150-01-209-6868

===== Product Identification =====

Product ID:FOOD GRADE LUBRICATING GREASE FOR MACHINERY

MSDS Date:04/29/1997

FSC:9150

NIIN:01-209-6868

MSDS Number: BJKRC

=== Responsible Party ===

Company Name:DARMEX INDUSTRIAL CORP

Address:71 JANE ST

City:ROSLYN HTS

State:NY

ZIP:11577-1330

Country:US

Info Phone Num:516-62

1-3000 / FAX 516-621-3627

Emergency Phone Num:516-621-3000

CAGE:64856

=== Contractor Identification ===

Company Name:DARMEX INDUSTRIAL CORP

Address:71 JANE ST

Box:City:ROSLYN

State:NY

ZIP:11577-1330

Country:US

Phone:516-621-3000

CAGE:64856

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (O)

RAL, RAT) IS >5000 MG/KG.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS. ACUTE- EYES:MAY CAUSE MINIMAL IRRITATION.

SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION.

INHALE:MIST/VAPOR MAY CAUSE IRRITATION. ORAL:IF MORE THAN SEVERAL MOUTHFULS ARE SWALLOWED, ABDOMINAL DISCOMFORT MAY OCCUR. CHRONIC-UNKNOWN.

Explanation of Carcinogenicity:

NONE

Effects of Overexposure:IRRITATION, NAUSEA, VOMITING, TEARING

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN

DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCIOUS, RINSE MOUTH WITH WATER

& DRINK TWO GLASSES OF WATER. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>300F,>149C

Extinguishing Media:WATER FOG/SPRAY, CARBON DIOXIDE, FOAM/DRY CHEMICAL.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS GREASE, WIPE UP WITH RAGS, PICK-UP RESIDUE WITH INERT MATERIAL SUCH AS DIATOMACEOUS EARTH, SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOSAL. CLEAN AREA WITH APPROPRIATE CLEANER. REPORT AS REQUIRED.

Neutralizing Agent:NOT RELEVANT

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA AWAY FROM

STRONG OXIDIZING AGENTS. KEEP OUT OF REACH OF CHILDREN. PERIODS OF EXPOSURE TO HIGH HEAT SHOULD BE MINIMIZED.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDRER CLOTHING BEFORE REUSE. AVOID INHALING MISTS. EMPTY CONTAINERS RETAIN RESIDUES. FOLLOW LABEL INSTRUCTIONS. DO NOT TAKE INTERNAL LY.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED WITH ADEQUATE VENTILATION.

Vent
ilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NITRILES RECOMMENDED

Eye Protection:SAFETY GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Spec Gravity: