

IVC INDUSTRIAL COATINGS -- 55183 TT-E-516A LUSTERLESS ENAMEL (BLUE) -- 8010-00-297-2119

=====  
Product Identification  
=====

Product ID:55183 TT-E-516A LUSTERLESS ENAMEL (BLUE)

MSDS Date:10/26/1985

FSC:8010

NIIN:00-297-2119

MSDS Number: BJMCT

=== Responsible Party ===

Company Name:IVC INDUSTRIAL COATINGS

Address:2245-50 VALLEY AVENUE

City:INDIANAPOLIS

State:IN

ZIP:46218

Country:US

Info Phone Num:317

-636-4407

Emergency Phone Num:317-636-4407

CAGE:1Y253

=== Contractor Identification ===

Company Name:IVC INDUSTRIAL COATINGS

Address:2245-50 VALLEY AVENUE

Box:City:INDIANAPOLIS

State:IN

ZIP:46218

Country:US

Phone:317-636-4407

CAGE:1Y253

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AROMATICS (VP 19.40 MMHG)

Fraction by Wt: 44.12%

Other REC Limits:LEL 1.0

ACGIH TLV:100 PPM

Ingred Name:ALIPHATICS (VP 2.00 MMHG)

Fraction by Wt: .09%

Other REC Limits:LEL 1.0

ACG

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:ANESTHESIA: HEADACHE, NAUSEA,  
DIZZINESS, ETC. LIQUID MODERATELY IRRITATING TO SKIN AND EYES.  
Effects of Overexposure:ANESTHESIA: HEADACHE, NAUSEA, DIZZINESS, ETC.  
LIQUID MODERATELY IRRITATING TO SKIN AND EYES.

=====  
First Aid Measures  
=====

First Aid:REMOVE VICTIM AND RESTORE  
BREATHING IF REQUIRED. REMOVE FROM  
SKIN WITH SOAP AND WATER. FLUSH EYES WITH COPIOUS QUANTITIES OF  
WATER, SEE A DOCTOR.

=====  
Fire Fighting Measures  
=====

Flash Point:22 F/-6 C  
Extinguishing Media:A,B,C TYPE EXTINGUISHERS  
Fire Fighting Procedures:SPRAY AT BASE OF FIRE  
Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. KEEP  
CONTAINERS ISOLATED FROM HEAT, SPARKS, ELECTRICAL EQUIPMENT AND  
OPEN FLAME.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WIPE UP IMMEDIATELY AND SAFELY, DISCARD  
SATURATED ABSORBANTS. IN THE EVEN OF LARGE SPILLS, DIKE AREA AND  
PUMP MATERIAL TO A WASTE TANK. MAINTAIN SUFFICIENT VENTILATION.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. STORE LARGE  
QUANTITIES IN BLDGS DESIGNED FOR STORAGE OF NFPA CLASS II FLAMMABLE  
LIQUIDS. DO NOT STORE ANY NEAR FEED OR FOOD.

Other Precautions:DO NOT TAKE INTERNALLY. CONTAINERS SHOULD BE GROUNDED  
WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES.  
DO NOT FLAME CUT, BRAZE OR WELD WITHOUT U.S. BUREAU OF MINES  
APPROVED RESPIRATOR OR APPROPRIATE VENTILATION.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:OUTDOOR/OPEN AREAS USE BUREAU OF MINES APPROVED  
MECH FILTER RESPIRATOR TO REMOVE SOLID AIR BORNE PARTICLES DURING  
SPRAYING. RESTRICTED VENT:CHEM

-MECH FILTER TO REMOVE COMBINATION OF  
PARTICULATE/GAS/VAPOR. CONFINED AREA: AIRLINE TY RSPRTRS/HOODS  
Ventilation: GEN DILUTION/LOCAL EXHAUST VENT IN VOL/PATTERN TO KEEP  
TLV/LEL OF MOST HAZARD INGRED BELOW LIMITS. REMOVE DECOMP PRODUCT  
Protective Gloves: REQUIRED FOR PROLONGED/REPEATED CONTACT  
Eye Protection: SAFETY EYEWEAR IF SPLASHING OF LIQUID  
Other Protective Equipment: PREVENT PROLONGED SKIN CONTACT WITH  
CONTAMINATED CLOTHING.  
Supplemental Safety and Health

===== Physi  
cal/Chemical Properties =====

Boiling Pt: B.P. Text: 193 TO 300F  
Vapor Density: > THAN AIR  
Evaporation Rate & Reference: SLOWER THAN ETHER  
Percent Volatiles by Volume: 60.89

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
Hazardous Decomposition Products: LIQUID PRODUCT MAY EMIT ACRID FUMES  
AND MAY EXPLODE UNDER EXTREME HEAT.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional  
advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.