View NSN Online: https://aerobasegroup.de/nsn/8010-00-656-1639

Product ID:RAW LINSEED OIL MSDS Date:01/01/1987 FSC:8010 NIIN:00-656-1639 MSDS Number: BJMDT === Responsible Party === Company Name: CARROLL LTD., INC. Address:2069 E. SILVER STREET City:PHILADELPHIA State:PA ZIP:19134 Country:US Info Phone Num:215-739-7613 Emergency Phone Num:215-739-7613 CAGE:LO749 === Co ntractor Identification === Company Name: CARROLL LTD INC Address:2656 SALMON ST Box:City:PHILADELPHIA State:PA ZIP:19125-4034 Country:US CAGE:87819 Company Name: CARROLL LTD., INC. Address:2069 E. SILVER STREET City:PHILADELPHIA State:PA ZIP:19134 Country:US Phone:215-739-7613 CAGE:LO749

Ingred Name:RAW LINSEED OIL IS NOT A HAZARDOUS MATERIAL UNDER CURRENT DEPT. OF LABOR DESIGNATIONS. HOWEVER, RAGS/WASTE CONTAINING \* Other REC Limits:NONE SPECIFIED

Ingred Name:\*LINSEED OIL THAT PRESENT A LARGE AIR-OIL INTERFACES WILL OXIDIZE & CAN IGNITE SPONTANEOUSLY & SHOULD BE HANDLED W/CARE. RTECS #:99999992Z Other REC Limits:NONE SPECIFIED

Flash Point Method:CC Flash Point:250 F/121 C Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures:MUST USE A BLANKETING OR SMOTHERING TYPE OF EXTINGUISHING MATERIAL Unusual Fire/Expl osion Hazard:BEING LIGHTER THAN WATER, DO NOT USE WATER TO EXTINGUISH FIRES

Spill Release Procedures: AS IN ANY TANK STORAGE, DAMS TO CONTAIN LEAKING OR RUPTURED TANKS ARE RECOMMENDED. IF NOT PRESENT, ANY SPILL/LEAK CAN BE CLEANED UP W/PUMPS OR SQUEEGEES. IF NECESSARY AREA CAN FURTHER BE CLEANED WITH WATER & TRISODIUM PHOSPHATE OR SODA ASH& WATER.

=======

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS NEEDED, IF STORED OUTSIDE, TANKS SHOULD BE COVERED TO PREVENT CONTAMINATIONS WITH WATER, DIRT AND ETC.

======= Exposure Controls/Personal Protection ==========

Protective Gloves:NOT NECESSARY Eye Protection:GOGGLES RECOMMENDED Other Protective Equipment:NOT NECESSARY Supplemental Safety and Health

Boiling Pt:B.P. Text:600F(DECOM) Vapor Pres :0.001/250C Spec Gravity:0.930-0.935/25C Solubility in Water:0.005 GRS./100 ML Appearance and Odor:BROWN YELLOW LIQUID Percent Volatiles by Volume:.2 MAX

Stability Indicator/Materials to Avoid:YES Conditions to Avoid Polymerization:MAY OCCUR OVER 500 F.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIO NS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular si tuation.