

CARROLL LTD., INC. -- RAW LINSEED OIL -- 8010-00-656-1639

=====  
Product Identification  
=====

Product ID:RAW LINSEED OIL

MSDS Date:01/01/1987

FSC:8010

NIIN:00-656-1639

MSDS Number: BJMDT

=== Responsible Party ===

Company Name:CARROLL LTD., INC.

Address:2069 E. SILVER STREET

City:PHILADELPHIA

State:PA

ZIP:19134

Country:US

Info Phone Num:215-739-7613

Emergency Phone Num:215-739-7613

CAGE:LO749

=== Co

Contractor Identification ===

Company Name:CARROLL LTD INC

Address:2656 SALMON ST

Box:City:PHILADELPHIA

State:PA

ZIP:19125-4034

Country:US

CAGE:87819

Company Name:CARROLL LTD., INC.

Address:2069 E. SILVER STREET

City:PHILADELPHIA

State:PA

ZIP:19134

Country:US

Phone:215-739-7613

CAGE:LO749

=====  
Composition/Information on Ingredients  
=====

Ingred Name:RAW LINSEED OIL IS NOT A HAZARDOUS MATERIAL UNDER CURRENT  
DEPT. OF LABOR DESIGNATIONS. HOWEVER, RAGS/WASTE CONTAINING \*

Other

REC Limits:NONE SPECIFIED

Ingred Name:\*LINSEED OIL THAT PRESENT A LARGE AIR-OIL INTERFACES WILL  
OXIDIZE & CAN IGNITE SPONTANEOUSLY & SHOULD BE HANDLED W/CARE.

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

=====  
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:250 F/121 C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:MUST USE A BLANKETING OR SMOTHERING TYPE OF  
EXTINGUISHING MATERIAL

Unusual Fire/Expl

osion Hazard:BEING LIGHTER THAN WATER, DO NOT USE  
WATER TO EXTINGUISH FIRES

=====  
===== Accidental Release Measures =====

Spill Release Procedures:AS IN ANY TANK STORAGE, DAMS TO CONTAIN  
LEAKING OR RUPTURED TANKS ARE RECOMMENDED. IF NOT PRESENT, ANY  
SPILL/LEAK CAN BE CLEANED UP W/PUMPS OR SQUEEGEES. IF NECESSARY  
AREA CAN FURTHER BE CLEANED WITH WATER & TRISODIUM PHOSPHATE OR  
SODA ASH& WATER.

=====  
===== Handling and Storage =====

=====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS NEEDED, IF  
STORED OUTSIDE, TANKS SHOULD BE COVERED TO PREVENT CONTAMINATIONS  
WITH WATER, DIRT AND ETC.

=====  
===== Exposure Controls/Personal Protection =====

Protective Gloves:NOT NECESSARY

Eye Protection:GOGGLES RECOMMENDED

Other Protective Equipment:NOT NECESSARY

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:600F(DECOM)

Vapor Pres

:0.001/250C  
Spec Gravity:0.930-0.935/25C  
Solubility in Water:0.005 GRS./100 ML  
Appearance and Odor:BROWN YELLOW LIQUID  
Percent Volatiles by Volume:.2 MAX

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Conditions to Avoid Polymerization:MAY OCCUR OVER 500 F.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE  
FEDERAL, STATE AND LOCAL REGULATIO  
NS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular si  
tuation.