

PRODUCT RESEARCH & CHEMICAL CORP -- PR-944-F, PART A -- 8010-01-224-4902

===== Product Identification =====

Product ID:PR-944-F, PART A

MSDS Date:02/22/1989

FSC:8010

NIIN:01-224-4902

Kit Part:Y

MSDS Number: BJMKK

=== Responsible Party ===

Company Name:PRODUCT RESEARCH & CHEMICAL CORP

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Em

ergency Phone Num:800-228-5635

CAGE:DO551

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCT RESEARCH & CHEMICAL CORP.

Address:5430 SAN FERNANDO RD./P.O. BOX 1800

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:800-228-5635

CAGE:DO551

===== Composition/Information on Ingredients =====

Ingred N

ame:EPOXY NOVOLAC RESIN

Fraction by Wt: 20%

Ingred Name:CHLOROBENZENE (SARA III)

CAS:108-90-7

RTECS #:CZ0175000

Fraction by Wt: 93C

Extinguishing Media:CO*2, DRY CHEMICAL, FOAM

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED AIR-SUPPLIED RESPIRATOR.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS. THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HCL AND PHOSGENE .

===== Accidental Release Measures =====

Spill

Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR NIOSH/MSHA APPROVED AIR-SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH ABSORBENT. SCOOP INTO CONTAINERS. CLEAN UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NO SMOKING IN AREA OF USE. DO NOT USE IN GENERAL VICINITY OF AR

C WELDING, OPEN FLAMES OR HOT SURFACES. HEAT AND/OR UV RADIATION MAY CAUSE THE FORMATION OF HCL AND/OR PHOSGENE .

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN APPLYING IN CONFINED AREAS, OR IN OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENT IN EXCESS OF TLV, USE A NIOSH/MSHA APPROVED AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENTILATION TO MAINTAIN SOLVENT VAPORS BELOW TLV.

Protective Gloves:SOLVENT-RESISTANT GLOVES

Eye Protection:CHEMICAL WORKERS GOGGLES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER

Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING, SMOKING, OR USING SANITARY FACILITIES .

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER

===== Physical/Chemical Properties =====

Spec Gravity:1.50

Solubility in Water:NEGLIGIBLE

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

===== Stability and Reactivity Data

=====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: OXIDES OF CARBON, HCL AND PHOSGENE .

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF SPILLAGE IN COMPLIANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS. EPA WASTE NO. D-001.

Disclaimer (provided with this information by the compiling agencies):

This informa

tion is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.