

KOP-COAT INC. -- MIL-P-24441/1C LOW VOC COMP A & B/150 GREEN -- 8010-01-302-3608

=====  
Product Identification  
=====

Product ID:MIL-P-24441/1C LOW VOC COMP A & B/150 GREEN

MSDS Date:02/01/1990

FSC:8010

NIIN:01-302-3608

Kit Part:Y

MSDS Number: BJNDY

=== Responsible Party ===

Company Name:KOP-COAT INC.

Address:436 7TH AVENUE

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

Info Phone Num:800-547-2

468

Emergency Phone Num:800-548-0489 OR 800-424-9300

Preparer's Name:C.A. HOPE

CAGE:KO915

=== Contractor Identification ===

Company Name:KOP-COAT INC

Address:436 7TH AVENUE

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

Phone:800-553-5631, CHEMTREC 800-424-9300

CAGE:00297

Company Name:KOP-COAT INC.

Address:436 SEVENTH AVENUE

City:PITTSBURGH

State:PA

ZIP:15219

Country:US

Phone:800-547-2468 OR 800-424-9300 CHEMT

CAGE:KO915

=====  
Composition/Information on Ingredients  
=====

Ingred Name:N-BUTYL ALCOHOL (SARA III)  
CAS:71-36-3  
RTECS #:EO1400000  
Fraction by Wt: 10-15%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM  
ACGIH TLV:S, C 50 PPM; 9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:TALC (CONTAINING NO ASBESTOS)  
CAS:14807-96-6  
RTECS #:WW2710000  
Fraction by Wt: 50-55%  
Other REC Limits:N  
ONE SPECIFIED  
OSHA PEL:2 MG/M3 RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:EPOXY-POLYAMIDE RESIN  
Fraction by Wt: 1-5%  
Other REC Limits:NONE SPECIFIED

Ingred Name:PETROLEUM DISTILLATES  
CAS:8002-05-9  
RTECS #:SE7449000  
Fraction by Wt: 10-15%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:400 PPM/1600 MG/M3

Ingred Name:BISPHENOL A DIGLYCIDYL ETHER RESIN  
CAS:1675-54-3  
RTECS #:TX3800000  
Fraction by Wt: 20-25%  
Other REC Limits:NONE SPECIFIED

Ingred Name:AMORPHOUS SILICON DIOXIDE  
CAS:61790-53-2  
Fracti

on by Wt: 5-10%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:20 MPPCF  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingrid Name:CRYSTALLINE SILICON DIOXIDE (NIOSH 50 MICROGRAMS/M3 (10 HR.  
TWA RESPIRABLE FREE SILICA)  
CAS:14808-60-7  
Fraction by Wt: 1  
Spec Gravity:11.1 LBS/GAL  
Viscosity:77-87 KU  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:GREEN VISCOUS LIQUID WITH A TYPICAL SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
AVOID  
OXIDIZING AGENTS, HEAT, SPARKS AND OPEN FLAMES.  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE UPON  
THERMAL DECOMPOSITION

===== Disposal Considerations =====

Waste Disposal Methods:THIS PRODUCT IS A US EPA DEFINED IGNITABLE  
HAZARDOUS WASTE. DISPOSE OF AS AN IGNITABLE HAZARDOUS WASTE IN  
ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.