

PICKETT ENTERPRISE INC -- ANTI-FOG -- 6850-00-392-9751

===== Product Identification =====

Product ID:ANTI-FOG  
MSDS Date:01/30/1991  
FSC:6850  
NIIN:00-392-9751  
MSDS Number: BJNLN  
=== Responsible Party ===  
Company Name:PICKETT ENTERPRISE INC  
Address:3341 SUCCESSFUL WAY  
Box:552  
City:DAYTON  
State:OH  
ZIP:45405  
Country:US  
Info Phone Num:513-236-5900  
Emergency Phone Num:513-236-5900  
CAGE:6V081  
=== Contrac  
tor Identification ===  
Company Name:PICKETT ENTERPRISE INC  
Address:3341 SUCCESSFUL WAY  
Box:552  
City:DAYTON  
State:OH  
ZIP:45405  
Country:US  
CAGE:6V081

===== Composition/Information on Ingredients =====

Ingred Name:ALCOHOL (TYPE NOT SPECIFIED)  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Ch

ronic:EYES/SKIN: PROLONGED CONTACT CAN CAUSE SLIGHT IRRITATION. AVOID BREATHING OF VAPOR.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:IRRITATION OF EYES/SKIN/RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
First Aid Measures  
=====

First Aid:

EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.

GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE AT BOILING

Extinguishing Media:USE DRY FOAM

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explo

sion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:MOP OR WIPE UP SPILL.

Neutralizing Agent:NONE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM PHYSICAL DAMAGE.

Other Pr

ecautions:NONE SPECIFIED BY MANUFACTURER.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION.

Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Pro

Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:210F,99C  
Vapor Density:>1  
Spec Gravity:0.98  
Evaporation Rate & Reference: