

SANCHEZ AND ASSOCIATES -- CLEANING COMPOUND, SOLVENT -- 6850-00-611-7993

=====
Product Identification
=====

Product ID:CLEANING COMPOUND, SOLVENT

MSDS Date:05/31/1990

FSC:6850

NIIN:00-611-7993

MSDS Number: BJNMG

=== Responsible Party ===

Company Name:SANCHEZ AND ASSOCIATES

Address:849 W JOHNSON ST

Box:1649

City:COLTON

State:CA

ZIP:92324

Country:US

Info Phone Num:714-370-3921

Emergency Phone Num:7

14-370-3921

CAGE:LO689

=== Contractor Identification ===

Company Name:SANCHEZ & ASSOCIATES

Address:476 WEST FOGG STREET

Box:1649

City:COLTON (MAY BE OUT OF BUSINESS !)

State:CA

ZIP:92324

Country:US

Phone:714-370-3921/FAX824-0341 ALL WRONG#

CAGE:0HF19

Company Name:SANCHEZ AND ASSOCIATES

Address:849 W JOHNSON ST

Box:1649

City:COLTON

State:CA

ZIP:92324

Country:US

Phone:714-370-3921

CAGE:LO689

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYL ACETATE (SARA II

I)
CAS:141-78-6
RTECS #:AH5425000
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM
ACGIH TLV:400 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:BLEND OF MINERAL SPIRITS
CAS:8030-30-6
RTECS #:DE3030000
Fraction by Wt: 50%
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:EYE
IRRITA

NT,BURNING,TEARING,REDNESS AND SWELLING. SKIN:MAY CAUSE SKIN IRRITATION,REDNESS,BURNING,DRYNESS AND CRACKING.INHALATION:LOW DEGREE OF TOXICITY, HOWEVER MAY CAUSE;IRRITATION OF THE NOSE AND THROAT,CENTRAL NERVOUS SYSTEM DEPRESSION,IRREGULAR HEARTBEATS.INGESTION:EXCESSIVE QUANTITIES SEE SIGNS AND SYMPTOMS.

Effects of Overexposure:INGESTION OF EXCESSIVE QUANTITIES MAY CAUSE:IRRITATION OF THE DIGESTIVE TRACT, SIGNS OF CENTRAL NERVOUS SYSTEM DEPRESSION(DROWSINESS, DIZZINESS, LOSS OF COORDINATION, AND FATIGUE), ASPIRATION HAZARD-T HIS MATERIAL CAN ENTER THE LUNGS DURINGSWALLOWING OR VOMITING AND CAUSE LUNG INFLAMMATION AND DAMAGE.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS MATERIAL. PRE-EXISTING LUNG DISORDERS(E.G.ASTHMA-LIKE CONDITIONS) AND HEART DISORDERS MAY BE AGGRAVATED ALSO.

===== First Aid Measures =====

First Aid:EYE

:MOVE VICTIM AWAY FROM EXPOSURE AND INTO FRESH AIR. FLUSH THE EYES WITH CLEAN WATER FOR AT LEAST 15 MIN. INHALATION:IF VICTIM IS NOT BREATHING GIVE ARTIFICIAL RESPIRATION. GIVE OXYGEN IF BREATHING IS DIFFICULT. IMMEDIATE MEDICAL IS NECESSARY. SKIN:REMOVE CONTAMINATED CLOTHING. WASH AFFECTED AREAS WITH SOAP AND WATER. INGESTION:*SEEK EMERGENCY MEDICAL ATTENTION.* SEE OTHER PRECAUTIONS.

===== Fire Fighting Measures =====

Flash Point Met

hod:TCC

Flash Point:23.0F,-5.0C

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:SMALL FIRES:EXTINGUISH WITH DRY CHEMICAL, CO2, OR ALCOHOL FOAM. LARGE FIRES:DRY CHEMICAL OR ALCOHOL/UNIVERSAL FOAM.

Fire Fighting Procedures:THIS MATERIAL IS FLAMMABLE AND MAY BE IGNITED BY HEAT, SPARKS, FLAME OR STATIC ELECTRICITY. THE USE OF SCUBA EQUIPMENT IS RECOMMENDED.

Unusual Fire/Explosion Hazard:DO NOT SPREAD BURNING LIQUID. FLASHBACK ALONG VAPOR TRAIL MAY OCCUR. THIS MATERIAL IS EXTREM

ELY FLAMMABLE.

USE WATER SPRAY TO MINIMIZE VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:CALL CHEMTREC AT 800-424-9300 OR COLLECT 202-483-7616 FROM ALASKA AND HAWAII. KEEP ALL SOURCES OF IGNITION AND HOT METAL SURFACES AWAY FROM SPILL. IF SPILL IS INDOORS, VENTILATE AREA OF SPILL. KEEP OUT OF DRAINS, SEWERS, OR WATERWAYS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. KEEP CONTAINERS COOL, DRY, AND AWAY FROM SOURCES OF IGNITION. USE AND STORE THIS PRODUCT WITH ADEQUATE VENTILATION.

Other Precautions:*ADDITIONAL FIRST AID* INGESTION:IF VICTIM IS CONSCIOUS AND ALERT, VOMITING SHOULD BE INDUCED. FOR LARGE AMOUNTS INGESTED, USE SYRUP OF IPECAC UNDER DIRECTION FROM A PHYSICIAN OR POISON CENTER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDING ON THE AIRBORNE CONCENTRATION, USE A RESPIRATOR OR GAS MASK WITH APPROPRIATE CARTRIDGES AND CANNISTERS (NIOSH APPROVED).

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:IMPERMEABLE TO THIS MATERIAL.

Eye Protection:APPROVED EYE PROTECTION.

Other Protective Equipment:PREVENT SKIN CONTACT. IT IS SUGGESTED THAT A SOURCE OF CLEAN WATER BE AVAILABLE IN WORK AREA TO FLUSH EYES AND SKIN.

Work Hygienic Practices:USE GOOD HYGIENE PRINCIPLES. IMPERVIOUS

CLOTHING SHOULD BE WORN AS NEEDED.

Supplemental Safety and Health

EMERGENCY AND FIRST AID PROCEDURES HAVE A PHYSICIAN CALL LOS ANGELES POISON INFORMATION CENTER (24 HOURS) AT 231-664-2121.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:175F,79C

Vapor Pres:60 MMHG

Vapor Density:3.4

Spec Gravity:0.746

Evaporation Rate & Reference:3.90(N-BUTYL ACETATE=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR (WATER WHIT

E)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

THIS PRODUCT IS INCOMPATIBLE WITH STRONG ACIDS OR BASES, OXIDIZERS, ALKALI METALS AND HALOGENS.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: THERMAL DECOMPOSITION IN THE PRESENCE OF AIR MAY YIELD CARBON DIOXIDE AND/OR CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods

: LARGE SPILLS. NOTIFY APPROPRIATE STATE/LOCAL AGENCIES. DISPOSE OF IN ACCORDANCE WITH LOCAL, COUNTY, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should

seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.