

ELDORADO CHEMICAL COMPANY, INC. -- ELDORADO ED-563 AIRCRAFT CLEANER,
SPEC:MIL-C-85701B,TY I -- 6850-00-181-7594

=====
===== Product Identification =====

Product ID:ELDORADO ED-563 AIRCRAFT CLEANER, SPEC:MIL-C-85701B,TY I

MSDS Date:06/09/1997

FSC:6850

NIIN:00-181-7594

MSDS Number: BJVND

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN A

NTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:210-653-9323 FAX 210-653-0825

Emergency Phone Num:210-653-9323/800-255-3924

Preparer's Name:BOB E. FLYNT

CAGE:55208

=== Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
===== Composition/Information on Ingredients =====

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:

KJ8575000
Fraction by Wt: 12%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9596

Ingred Name:EXTRACTS, LIGHT NAPHTHENIC DISTILLATE SOLVENT; (MINERAL OIL, NAPHTHENIC)

CAS:64742-03-6
RTECS #:PY8043000
Fraction by Wt: 21%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:300 PPM
ACGIH TLV:300 PPM

Ingred Name:EXTRACTS, LIGHT PARAFFINIC DISTILLATE SOLVENT; (MINERAL OIL, PARAFFINIC)

CAS:64742-05-8
RTECS #:PY8043500
Fraction by Wt: 2%
Other REC Limits:NONE RECOMMENDED
OSH
A PEL:300 PPM
ACGIH TLV:300 PPM

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL:IRRIT,DIZZ,NAU,FATIGUE.SKIN:MAY CAUSE IRRIT,CHRONIC-DERM MAY OCCUR.SKIN ABSORPTION:IRRIT,CHRONIC-DERM.EYE:BURNS IMMED.
Explanation of Carcinogenicity:PER MSDS:CANCER-CAUSING AGENT:NA.
Effects
of Overexposure:INHAL IRRIT,DIZZINESS,NAUSEA,FATIGUE.SKIN IRRIT,DERM,BURNS EYES.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH W/WATER FOR 15MINS.CONSULT PHYSICIAN.SKIN;REMOVE CLOTHING.WASH W/SOAP/WATER.INHAL:REMOVE TO FRESH AIR.INGEST:CONSULT PHYSICIAN IMMED.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>142F,>

61C

Autoignition Temp:Autoignition Temp Text:600F

Lower Limits:4

Upper Limits:12

Extinguishing Media:TREAT AS CLASS-B (OIL-TYPE) FIRE.

Fire Fighting Procedures:SME AS FOR PETROELUM NAPHTHA.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL & CLEAN UP IN ACCORDANCE WITH LOCAL REGULATIONS.AS IS PRODUCT IS NOT CONSIDERED A HAZARDOUS WASTE BY EPA GUIDELINES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MATL TRANSFER/SPILL:SCBA REQUIRED.

Ventilation:MATL TRANSFER/SPILL:100 FT/MIN.

Protective Gloves:RUBBER GLOVES FOR MATL TRANSFER/SPILL.

Eye Protection:FACE SHILED/GOGG-FOR MATL TRANSFER/SPILL

Other Protective Equ

ipment:NONE.

Work Hygienic Practices:MATL TRANSFER/SPILL/USE-AVOID PROLONGED SKIN CONTACT.

Supplemental Safety and Health

PH @10% DILUTION=8.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:220F,104C

Melt/Freeze Pt:M.P/F.P Text: