

BEESTON, INC. -- BG-1930 SILICONE COMPOUND,HEAT SINK -- 6850-00-927-9461

=====
Product Identification
=====

Product ID:BG-1930 SILICONE COMPOUND,HEAT SINK

MSDS Date:06/12/1985

FSC:6850

NIIN:00-927-9461

MSDS Number: BJNXN

=== Responsible Party ===

Company Name:BEESTON, INC.

Address:540 DEERING AV

Box:1116

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Info Phone Num:207-883-5541

Emergency Phone Nu

m:207-883-5541/800-424-9300(CHEMTREC)

Preparer's Name:N. J. HILL

CAGE:LO373

=== Contractor Identification ===

Company Name:BEESTON

Address:540 DEERING AV

Box:1116

City:SCARBOROUGH

State:ME

ZIP:04074

Country:US

Phone:207-883-5541

CAGE:43728

Company Name:BEESTON, INC.

Box:1116

City:SCARBROUGH

State:ME

ZIP:04074

Country:US

Phone:207-883-5541

CAGE:LO373

=====
Composition/Information on Ingredients
=====

Ingred Name:"NOT HAZARDOUS"

Fraction by Wt: 100%

Other REC Limits:NONE SPECIF

IED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT CONTAINS NO HAZARDOUS
INGREDIENTS.EYE IRRITATION DOES NOT INVOLVE CORNEA AND SHOULD
SUBSIDE WITHIN SEVERAL HOURS.
Effects of Overexposure:SEE HEALTH HAZARDS SECTION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED B
Y MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:SKIN:WASH OFF CONTACTED SKIN WITH SOAP AND WATER. EYES:FLUSH
WITH WATER.IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:NON-FLAMMABLE
Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT IF NEEDED. USE WATER SPRAY TO COOL NEARBY CONTAINERS
EXPOSED TO FIRE.
Unusu
al Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP MATERIAL. RESIDUE IS SLIPPERY. APPLY
SAWDUST OR SWEEPING COMPOUND TO AREA OF SPILL TO MINIMIZE SLIP.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE.KEEP AWAY
FROM OPEN FLAMES & HIGH TEMPERATURES.

Ot

her Precautions:NO SPECIAL PRECAUTIONS ARE KNOWN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR
FOOTWEAR.

Supplemental Sa

fety and Health

DO NOT GET IN EYES OR ON CLOTHING.

=====
===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:NONE

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume:1 MAX

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH MATERIALS THAT REACT WITH WATER.

Stability Condition to Avoid:HIGH TEMPERATURES AND FLAMES

Hazardous Decomposition Products:NONE

SPECIFIED BY MANUFACTURER.

=====
===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION IS BEST. OPEN BURNING IS
SATISFACTORY IF A WHITE SMOKE IS NOT OBJECTIONAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclai

ms all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.