

ALTANA INC ;BYK PHARMACEUTICAL GROUP -- WHITE PETROLATUM USP -- 9150-00-250-0926
===== Product Identification =====

Product ID:WHITE PETROLATUM USP

MSDS Date:01/28/1986

FSC:9150

NIIN:00-250-0926

MSDS Number: BJPKK

=== Responsible Party ===

Company Name:ALTANA INC ;BYK PHARMACEUTICAL GROUP

Address:60 BAYLIS ROAD

City:MELVILLE

State:NY

ZIP:11747

Country:US

Info Phone Num:516-454-7677

Emergency Phon

e Num:516-454-7677

CAGE:KO855

=== Contractor Identification ===

Company Name:ALTANA INC ;BYK PHARMACEUTICAL GROUP

Address:60 BAYLIS ROAD

City:MELVILLE

State:NY

ZIP:11747

Country:US

Phone:516-454-7677

CAGE:KO855

Company Name:ALTANA INC BYK PHARMACEUTICAL GROUP

Address:60 BAYLIS RD

Box:City:MELVILLE

State:NY

ZIP:11747-3806

Country:US

Phone:631-454-7677

CAGE:60910

===== Composition/Information on Ingredients =====

Ingred Name:GREASE, PETROLEUM

CAS:8009-03-8

Other REC Limits:NONE

SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:GENERALLY NOT TOXIC;MAY CAUSE
IRRITATION OF EYES,SKIN,RESPIRATORY OR G,I.TRACT IF VAPORS ARE
INHALED.
Explanation of Carcinogenicity:DATA PER MGF MSDS.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NONE NOTED

=====
===== First Aid Measures =====

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT
15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE
TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION
IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:390F,199C
Autoignition Temp:Autoignition Temp Text:32F
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM
, OR DRY
CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:NONE NOTED

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;SCOOP UP AND
COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

=====
===== Handling and Storage

=====
Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:WASH THOROUGHLY AFTER EACH USE.

=====
Exposure Controls/Personal Protection

Respiratory Protection:NONE NEEDED UNDER NORMAL USE.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES/GOGGLES
Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH
FACILITI
ES,SAFETY SHOWER.
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE
VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT
EAT,DRINK,SMOKE.
Supplemental Safety and Health

=====
Physical/Chemical Properties

HCC:V6
Boiling Pt:B.P. Text:650F,343C
Melt/Freeze Pt:M.P/F.P Text:100F,38C
Spec Gravity:0.815-0.880
Solubility in Water:NEGLIGIBLE
Appearance and Odor:COLORLESS TO AMBER;ODORLESS

=====
Stability and Reactivity Data

=====
Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIGH TEMPERATURES
Hazardous Decomposition Products:NOT SPECIFIED

=====
Disposal Considerations

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN
ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by element

s of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.