

SANLO PRODUCTS CO -- LUBRICATING OIL COMPOUNDED GRADE 7 -- 9150-00-011-5892

=====
Product Identification
=====

Product ID:LUBRICATING OIL COMPOUNDED GRADE 7

MSDS Date:01/12/1989

FSC:9150

NIIN:00-011-5892

MSDS Number: BJPWM

=== Responsible Party ===

Company Name:SANLO PRODUCTS CO

Address:100 ,MANHATTAN AVE SUITE 103

City:UNION CITY

State:NJ

ZIP:07087

Country:US

Info Phone Num:201-384-1684

Emergenc

y Phone Num:201-348-1684 OR 212-883-4411

CAGE:0K5U0

=== Contractor Identification ===

Company Name:SANLO PRODUCTS CO

Address:100 ,MANHATTAN AVE SUITE 103

City:UNION CITY

State:NJ

ZIP:07087

Country:US

Phone:201-348-1684/800-424-9300(CHEMTREC)

CAGE:0K5U0

=====
Composition/Information on Ingredients
=====

Ingred Name:REFINED MINERAL OIL

Fraction by Wt: >90.0%

Other REC Limits:NONE SPECIFIED

Ingred Name:ADDITIVES AND/OR OTHERS INGREDIENTS

Fraction by Wt: 450F,>232C

Lower Limits:

0.6

Upper Limits:7.0

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:NONE NOTED;COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release

Procedures:USE PROPER PERSONAL PROTECTION;CONTAIN FREE MATERIAL IF POSSIBLE;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT TAKE INTERNALLY

. DO NOT BREATHE MIST. AVOID

PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED WITH AN ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

=====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres: