

DESOTO INC -- SK HI TEMP LOW DENSITY, PC519X303 -- 8010-00-139-3661

=====
Product Identification
=====

Product ID:SK HI TEMP LOW DENSITY, PC519X303

MSDS Date:02/22/1989

FSC:8010

NIIN:00-139-3661

Kit Part:Y

MSDS Number: BJPXF

=== Responsible Party ===

Company Name:DESOTO INC

Address:1700 S MT PROSPECT RD

Box:5030

City:DES PLAINES

State:IL

ZIP:60017

Country:US

Info Phone Num:312-391-9000

Emergency

Phone Num:312-391-9000

Preparer's Name:SHERRIE M. STEVENSON

CAGE:62758

=== Contractor Identification ===

Company Name:DESOTO INC

Address:1700 S MT PROSPECT RD

City:DES PLAINES

State:IL

ZIP:60018-1804

Country:US

Phone:708-391-9000

CAGE:62758

=====
Composition/Information on Ingredients
=====

Ingred Name:N-BUTYL ACETATE (SARA III)

CAS:123-86-4

RTECS #:AF7350000

Fraction by Wt: 25%

Other REC Limits:NONE SPECIFIED

OSHA PEL:150 PPM/200 STEL

ACGIH TLV:150 PPM/200STEL;9192

EPA Rpt

Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 5%.
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:NON-HAZARDOUS ADDITIVES, RESIN AND PIGMENTS
Fraction by Wt: 25%
Other REC Limits:NONE SPECIFIED

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 25%
Other REC Limits:NONE SPECIFIED
OSHA
PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:STRONTIUM CHROMATE (SARA III)
CAS:7789-06-2
RTECS #:GB3240000
Fraction by Wt: 5.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.1 PPM CRO3;CEILING
ACGIH TLV:0.0005MG CR/M3;A2;93
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:AMORPHOUS SILICA
CAS:63231-67-4
RTECS #:VV7322000
Fraction by Wt: THAN AIR
Spec Gravity:> WATER
Evaporation Rate & Reference:SLOWER: N-BUTYL ACETATE
Appearance

and Odor:LIQUID, SOLVENT ODOR
Percent Volatiles by Volume:70

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE HAZARDOUS
INCLUDING CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:ENSURE THAT MATERIALS ARE PACKAGED, STORED,
TRANSPORTED AND OTHERWISE MANAGED IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS. NO DISPOSAL METHOD IS TO BE USED THAT
WOULD POSE AN ENVIRONMENTAL OR HUMAN THREAT.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent profes
sional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.