

DOW CORNING CORP -- (R) 200 FLUID,100000 CST -- 9150-00-292-9609

===== Product Identification =====

Product ID:(R) 200 FLUID,100000 CST

MSDS Date:01/20/1986

FSC:9150

NIIN:00-292-9609

MSDS Number: BJQBN

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-496-5900

Emergency Phone Num:517-496-59

00

Preparer's Name:JACK L. SHENEGER

CAGE:5D028

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE

:71984

=====
Composition/Information on Ingredients
=====

Ingred Name:"NOT HAZARDOUS"
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-EFFECTS OF OVEREXPOSURE-EYES:MAY
CAUSE TEMPORARY DISCOMFORT.SKIN:NO KNOWN ADVERSE
EFFECTS.INHALATION:NO ADVERSE EFFE
CTS IN SHORT
EXPOSURE.ORAL:AMOUNTS TRANSFERRED TO THE MOUTH BY FINGERS,ETC., D
URING NORMAL OPERATIONS SHOULD NOT CAUSE INJURY.CHRONIC-NO KNOWN
ADVERSE EFFECTS.
Effects of Overexposure:SEE HEALTH HAZARDS SECTION.
Medical Cond Aggravated by Exposure:THIS PRODUCT,LIKE ANY OTHER
CHEMICALS,MAY ENHANCE ALLERGIC CONDITION ON CERTAIN PEOPLE.

=====
First Aid Measures
=====

First Aid:INHALATION:NO PROBLEM.REMOVE TO FRESH AIR.EYES:IMMEDIATELY
FLU
SH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN.
SKIN:WASH WITH WATER. INGESTION:NO PROBLEM.

=====
Fire Fighting Measures
=====

Flash Point Method:OC
Flash Point:610F,321C
Extinguishing Media:USE CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

=====
Acc
=====

idental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT FOR SALVAGE OR PROPER DISPOSAL.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions:DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES AND SKIN. TRACES OF FORMALDEHYDE AND OTHER THERMAL DECOMPOSITION PRODUCTS MAY FORM AT TEMPERATU

RE >150C IN AIR.PROVIDE ADEQUATE VENTILATION WHEN HANDLIN G AT ELEVATED TEMPERATURES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:MECHANICAL

Protective Gloves:WASH HANDS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres: