

BF GOODRICH ADHESIVE SYSTEMS -- EPOXY RESIN -- 8040-00-691-1322

=====
Product Identification
=====

Product ID:EPOXY RESIN

MSDS Date:03/28/1986

FSC:8040

NIIN:00-691-1322

Kit Part:Y

MSDS Number: BJQFF

=== Responsible Party ===

Company Name:BF GOODRICH ADHESIVE SYSTEMS

Address:500 MAIN ST

City:AKRON

State:OH

ZIP:44318

Country:US

Info Phone Num:216-374-2468

Emergency Phone Num:216-374-3422

CAGE:BFGAD

=== Contractor Identification ===

Company Name:BF GOODRICH ADHESIVE SYSTEMS

Address:123 WEST BARTGES ST. D/1932/1904

City:AKRON

State:OH

ZIP:44311

Country:US

Phone:216-374-2824(CLIFF PEARSON)

CAGE:BFGAD

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

Box:City:AKRON

State:OH

ZIP:44311-1081

Country:US

Phone:330-374-2786 / 330-374-2900

CAGE:1HS43

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

=====

==== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN
CAS:1675-54-3
RTECS #:TX3800000
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MINOR SKIN AND EYE IRRITATION. MAY
CAUSE SENSITIZATION IN SOME INDIVIDUALS.
Effects of Overexposure:MINOR SKIN AND EYE IRRITATION.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN.
SKIN: WASH AREA THOROUGHLY WITH SOAP AND WATER.

=====
===== Fire Fighting Measures =====

Flash Point:480F,249C
Extinguishing Media:WATER, CO2, DRY CHEMICAL, FOAM
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE
WORN.
Unusual Fire/Explosion Hazard:TOXIC FUMES POSSIBLE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT MATERIAL AND DISPOSE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID SKIN AND EYE CONTACT. STORE IN
COOL, DRY PLACE AWAY FROM HEAT.
Other Precautions:EMPTY CONTAINERS MAY BE HAZARDOUS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE USUALLY NECESSARY UNDER MOST INDUSTRIAL
CONDITIONS.
Ventilation:LOCAL

EXHAUST PREFERRED. MECHANICAL (GENERAL) ADEQUATE.
Protective Gloves:RUBBER
Eye Protection:GOGGLES
Other Protective Equipment:EYE WASH STAND
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density:> 1
Spec Gravity:12.52 LB/GAL
Solubility in Water:SLIGHTLY SOLUBLE
Appearance and Odor:VISCIOUS LIQUID: EPOXY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ACIDS, BASES
Stability Condition to Avoid:AMINE COMPOUNDS IN UNCONTROLLED
CONDITIONS.
Hazardous Decomposition Products:CO2, CO OTHER POSSIBLE
Conditions to Avoid Polymerization:AMINE COMPOUNDS IN UNCONTROLLED
CONDITIONS.

===== Disposal Considerations =====

Waste Disposal Methods:IN APPROVED LANDFILL

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by
elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.