

BF GOODRICH ADHESIVE SYSTEMS -- EPOXY CURING AGENT -- 8040-00-691-1322

=====
Product Identification
=====

Product ID:EPOXY CURING AGENT

MSDS Date:05/28/1986

FSC:8040

NIIN:00-691-1322

Kit Part:Y

MSDS Number: BJQFG

=== Responsible Party ===

Company Name:BF GOODRICH ADHESIVE SYSTEMS

Address:500 MAIN ST

City:AKRON

State:OH

ZIP:44318

Country:US

Info Phone Num:216-374-2468

Emergency Phone Num:216-374-3

422

CAGE:BFGAD

=== Contractor Identification ===

Company Name:BF GOODRICH ADHESIVE SYSTEMS

Address:123 WEST BARTGES ST. D/1932/1904

City:AKRON

State:OH

ZIP:44311

Country:US

Phone:216-374-2824(CLIFF PEARSON)

CAGE:BFGAD

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

Box:City:AKRON

State:OH

ZIP:44311-1081

Country:US

Phone:330-374-2786 / 330-374-2900

CAGE:1HS43

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33

=====
 ===== Composition/Information on Ingredients =====
 =====

Ingred Name:POLYAMIDE
 Other REC Limits:NONE SPECIFIED

=====
 ===== Hazards Identification =====
 =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
 Health Hazards Acute and Chronic:EYE AND SKIN IRRITATION. MAY CAUSE
 SENSITIZATION IN SOME INDIVIDUALS.
 Effects of Overexposure:MODERATE TO SEVERE SKIN AND EYE IRRITATION.
 Medical Cond Aggra
 vated by Exposure:NONE KNOWN

=====
 ===== First Aid Measures =====
 =====

First Aid:SKIN: WASH AREA THOROUGHLY WITH SOAP AND WATER. EYES:FLUSH
 WITH WATER FOR 15 MINUTES. SEE A PHYSICIAN.

=====
 ===== Fire Fighting Measures =====
 =====

Flash Point:NONE
 Extinguishing Media:CO2, DRY CHEMICAL, FOAM
 Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE
 WORN.
 Unusual Fire/Explosion Hazard:NONE KNOWN

=====
 ===== Accidenta
 I Release Measures =====
 =====

Spill Release Procedures:ABSORB WITH INERT MATERIAL AND DISPOSE.

=====
 ===== Handling and Storage =====
 =====

Handling and Storage Precautions:STORE IN COOL, DARK PLACE AWAY FROM
 HEAT.
 Other Precautions:NONE

=====
 ===== Exposure Controls/Personal Protection =====
 =====

Respiratory Protection:NOT NORMALLY NEEDED.
 Ventilation:LOCAL EXHAUST PREFERRED. MECHANICAL (GENERAL) ADEQUATE.
 Protective Gloves:RUBBER
 Eye Protection:G

OGGLES

Other Protective Equipment:EYE WASH STAND

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density:> 1

Spec Gravity:8.89 LB/GAL

Solubility in Water:SLIGHTLY SOLUBLE

Appearance and Odor:VISCOUS LIQUID, AMMONIA ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

EPOXY RESINS

Stability Condition to Avoid:AVOID MIXING LARGE AMOUNTS OF EPOXY AT ONE TIME.

Hazardous Decomposition Products:CO, CO2, AMMONIA, OTHERS POSSIBLE.

Conditions to Avoid Polymerization:AVOID MIXING WITH LARGE AMOUNTS OF EPOXY AT ONE TIME.

===== Disposal Considerations =====

Waste Disposal Methods:IN APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of Am

erica in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.