

ADAMS PSP INC -- PEMCO ADHESIVE 1599 -- 2640-00-922-6921

=====
Product Identification
=====

Product ID:PEMCO ADHESIVE 1599

MSDS Date:12/27/1990

FSC:2640

NIIN:00-922-6921

Kit Part:Y

MSDS Number: BJQGS

=== Responsible Party ===

Company Name:ADAMS PSP INC

Address:355 UNIONVILLE RD

Box:189

City:BUTLER

State:PA

ZIP:16003

Country:US

Emergency Phone Num:412-287-6711

CAGE:17705

=== Contractor Identificat

ion ===

Company Name:ADAMS PSP INC

Address:355 UNIONVILLE RD

Box:City:BUTLER

State:PA

ZIP:16003

Country:US

CAGE:17705

Company Name:PEMCO ADHESIVES

Address:29542 MANCHESTER DR

City:ELKHART

State:IN

ZIP:46514-5000

Country:US

Phone:219-295-8384

CAGE:PEMCO

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Other REC Limits:NONE SPECIFIED

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450ST

EL:9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:NITROMETHANE
CAS:75-52-5
RTECS #:PA9800000
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM; 9192

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:DIZZINESS, HEADACHES, NAU
SEA, VOMITING.

=====
===== First Aid Measures =====

First Aid:INHALATION:MOVE PERSON TO FRESH AIR. IF NOT BREATHING, GIVE
ARTIFICIAL RESPIRATION. EYES:FLUSH WITH WATER FOR 15 MIN. SKIN:WASH
WITH SOAP AND RUNNING WATER FOR 15 MIN. INGESTION:DO NOT INDUCE
VOMITING . SEEK MEDICAL HELP AT ONCE.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:NONE
Lower Limits:7.5
Upper Limits:15.0
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ONTO CLAY OR SAWDUST.

=====

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE IN DIRECT SUNLIGHT. STORE IN COOL DRY AREA. DO NOT STORE IN ALUMINUM CONTAINERS. MAY CAUSE CORROSION.

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:OSHA APPROVED ORGANIC VAPOR MASK.

Ventilation:USE ADEQUATE VENTILATION.

Protective Gloves:VITON OR NEOPRENE.

Eye Protection:GOGGLES

Other Protective Equipment:RUBBER OR PLASTIC APRON WHERE APPROPRIATE.

Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE. USE SAFE INDUSTRIAL HYGIENE PRACTICES.

Supplemental Safety and Health

KEY1:N1. THIS NSN (2640-00-922-6921) IS A KIT. THE NSN FOR THIS SINGLE ITEM IS 2640-00-922-6917.

=====
Physical/Chemical Properties
=====

HCC:N1

Boiling Pt:B.P. Text:165F,74C

Vapor Pres:100 @ 20C

Vapor Density:4.6

Spec Gravity:1.3

Solubility in Water:NIL

Appearance and Odor:BLACK LIQUID WITH SOLVENT ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS AND BASES.

Stability Condition to Avoid:EXTREMELY HIGH TEMPERATURES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES, HYDROGEN CHLORIDE, PHOSGENE.

=====
Disposal Considerations
=====

Waste Disposal Methods:CONSULT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this i

nformation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.