

BATTENFELD AMERICA INC -- LUBRICATING GREASE -- 9150-00-985-7316

=====  
Product Identification  
=====

Product ID:LUBRICATING GREASE

MSDS Date:01/01/1987

FSC:9150

NIIN:00-985-7316

MSDS Number: BJQHB

=== Responsible Party ===

Company Name:BATTENFELD AMERICA INC

Address:1575 CLINTON ST

City:BUFFALO

State:NY

ZIP:14206

Country:US

Info Phone Num:716-822-8410

Emergency Phone Num:716-822-8410

CAGE:61808

==

= Contractor Identification ===

Company Name:BATTENFELD AMERICA INC

Address:1575 CLINTON ST

Box:City:BUFFALO

State:NY

ZIP:14206

Country:US

Phone:716-822-8410

CAGE:61808

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 24%

Other REC Limits:NONE SPECIFIED

Ingred Name:MINERAL OIL

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 50.6%

Other REC Limits:NONE SPECIFIED

Ingred Name:CALCIUM SULFONATE

CAS:6878

3-96-0  
Fraction by Wt: 4.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:MOLYBDENUM DISULFIDE  
CAS:1317-33-5  
RTECS #:QA4697000  
Fraction by Wt: 5.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:PHOSPHORODITHIOIC ACID, ZINC SALT  
CAS:19210-06-1  
RTECS #:TE4800000  
Fraction by Wt: 3.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:ANTIOXIDANT  
CAS:41484-35-9  
Fraction by Wt: 0.5%  
Other REC Limits:NONE SPECIFIED

Ingred Name:UREA - DITALLOW ALKYL DERIVS  
CAS:67774-69-0  
Fraction by Wt: 12.0%  
Other REC Limits  
:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MILD EYE AND SKIN IRRITATION.  
Effects of Overexposure:MILD EYE AND SKIN IRRITATION.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:INGESTION:DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.  
DERMAL:REMOVE AND LAUNDER CONTAMINATED CLOTHING. EYE CONTACT:FLUSH WITH PLENTY OF WATER FOR 15 MIN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:460F,238C  
Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM OR EARTH OR SAND.  
Fire Fighting Procedures:WATER MAY CAUSE FROTHING.  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB

WITH SAND OR INERT MATERIAL. SWEEP OR  
SCOOP UP AND REMOVE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING. KEEP  
CONTAINER CLOSED. KEEP AWAY FROM SPARKS AND OPEN FLAMES.  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.  
Ventilation:USE ADEQUATE VENTILATION.  
Protective Gloves:BUTYL RUBBER.  
Eye Protection:FAC  
E SHIELD.  
Other Protective Equipment:NONE  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.  
Supplemental Safety and Health  
NONE

=====  
Physical/Chemical Properties  
=====

HCC:V6  
Boiling Pt:B.P. Text:700F,371C  
Melt/Freeze Pt:M.P/F.P Text:500F,260C  
Spec Gravity:0.89  
Solubility in Water:NIL  
Appearance and Odor:DRAK GREASE, BLAND ODOR.  
Percent Volatiles by Volume:0

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to  
Avoid:YES  
STRONG OXIDIZERS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:INCINERATE. CONSULT FEDERAL, STATE OR LOCAL  
AUTHORITIES FOR PROPER DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.