

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PRO-SEAL 501, PART B -- 8040-00-126-7798

===== Product Identification =====

Product ID:PRO-SEAL 501, PART B

MSDS Date:02/08/1990

FSC:8040

NIIN:00-126-7798

Kit Part:Y

MSDS Number: BJQLS

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info P

hone Num:213-240-2060

Emergency Phone Num:213-240-2060

Preparer's Name:C.A. EISENHARD

CAGE:DO563

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARC

AY CAUS E NAUSEA, ABDOMINAL PAIN. LIVER
AND KIDNEY DAMAGE.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF
SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND
WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION:
REMOVE TO FRESH AI R. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN.
INGESTION: CONSULT A PHYSICIAN.

=====
Fire Fighting Measures
=====

Extinguishing Media:CO2, DRY CHEMICAL, FOAM AND WATER FOG.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO
COOL HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE
BUILDUP IN CLOSED CONTAINERS.

=====
Accidental Release Measures
=====

Spill Release Procedures:COVER WITH ABSORBENT. SCOOP INTO CONTAINERS.
CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

=====
Exposure Controls
/Personal Protection
=====

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPOR BELOW PEL.
Protective Gloves:SOLVENT RESISTANT GLOVES
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
KEY1:T6.

=====
Physical/Chemical Properties
=====

HCC:P1
Vapor Density:3.4
Spec Gravity:1.3
Evaporation Rate & Reference:1
Solubility in Water:NEGLIGIBLE
Percent Volatiles by Volume:2

=====
Stability and Reactivity Data
=====

Stability

Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN, SO₂,
TRACES OF H₂S.

===== Disposal Considerations =====

Waste Disposal Methods: NOT A HAZARDOUS WASTE ACCORDING TO EPA
REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF
SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.