View NSN Online: https://aerobasegroup.com/nsn/9150-00-234-5199

Product ID:VV-L-751;GRADE 2;CODE NO.60,401-2 MSDS Date:11/01/1990 FSC:9150 NIIN:00-234-5199 **MSDS Number: BJRCL** === Responsible Party === Company Name: BATTENFELD AMERICA INC Address:1575 CLINTON ST City:BUFFALO State:NY ZIP:14206 Country:US Info Phone Num:716-822-8410 **Emergency Phone** Num:716-822-8410 Preparer's Name: THOMAS G.MUSILLI CAGE:61808 === Contractor Identification === Company Name: BATTENFELD AMERICA INC Address:1575 CLINTON ST Box:City:BUFFALO State:NY ZIP:14206 Country:US Phone:716-822-8410 CAGE:61808

Ingred Name:MINERAL OIL CAS:64742-65-0 RTECS #:PY8038500 Fraction by Wt: 50.0% Other REC Limits:NONE SPECIFIED

Ingred Name:MINERAL OIL CAS:64742-16-1 Fraction by Wt: 48.0% Other REC Limits:NONE SP ECIFIED

Ingred Name:PETROLEUM SULFONATE CAS:25619-56-1 Fraction by Wt: 2.0% Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:LOW HEALTH HAZARDS;MAY CAUSE IRRITATION OF EYES,SKIN,RESPIRATORY OR G,I.TRACT. CHRONIC:NO DATA AVAILABLE. Explanation of Carcinogenicity:DATA PER MGF MSDS. Eff ects of Overexposure:SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure:NONE NOTED.

First Aid:EYES AND SKIN:FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION IMMEDIATELY.

Flash Point Method:COC
Flash Point:430F,22
1C
Autoignition Temp:Autoignition Temp Text:470F
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.
Unusual Fire/Explosion Hazard:NONE NOTED;COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

====== Accidental Release Measures =====

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; USE SUITABLE INERT ABSORBENT MATERIAL AND SWEEP UP OR SCOOP UP AND COLLECT FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Handling and Storage Processions: STORE IN COOL DRY AND WELL VENTIL ATED

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:WASH THOROUGHLY AFTER EACH USE.

====== Exposure Controls/Personal Protection =====

=======

Respiratory Protection:NONE NEEDED WITH AN ADEQUATE VENTILATION.USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST IF ABOVE PEL/TLV. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH FACILITIES,SAFETY SHOWER. Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT EAT,DRINK,SMOKE. Su pplemental Safety and Health

USE AS DIRECTED.

HCC:V6 Boiling Pt:B.P. Text:700F,371C Spec Gravity:0.91 Solubility in Water:NIL Appearance and Odor:DARK VISCOUS OIL-BLAND Percent Volatiles by Volume:0.0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:AVOID EXTREMELY HIGH TEMPERATURES Hazardous Decomposition Prod

ucts:CO AND CO*2 IF INCOMPLETE COMBUSTION.

particular situation.

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their