

THE CLINIPAD CORP -- STERI-WIPE -- 6510-00-786-3736

=====  
Product Identification  
=====

Product ID:STERI-WIPE

MSDS Date:09/15/1990

FSC:6510

NIIN:00-786-3736

MSDS Number: BJRPN

=== Responsible Party ===

Company Name:THE CLINIPAD CORP

Address:66 HIGH ST

Box:387

City:GUILFORD

State:CT

ZIP:06437-3445

Country:US

Info Phone Num:203-453-6543

Preparer's Name:L P MARTIN

CAGE:3W985

=== Contractor Identifica  
tion ===

Company Name:CLINIPAD CORP

Address:175 CAPITAL BLVD

Box:City:ROCKY HILL

State:CT

ZIP:06067

Country:US

Phone:860-571-0100

CAGE:58574

Company Name:THE CLINIPAD CORPORATION

Address:66 HIGH ST

Box:387

City:GUILFORD

Phone:203-453-6543

CAGE:3W985

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 70%

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

=====  
Hazard

s Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGEST: HEADACHE, DIZZINESS, NAUSEA,  
COMA. SKIN: DRYNESS. EYES: IRRITANT. INHAL: HEADACHE, DIZZINESS,  
NAUSEA.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:MANUFACTURER IDENTIFIES SKIN AS THE PRIMARY  
ROUTE OF EXPOSURE.

Medical Cond A

aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGEST: CONSULT MD. SKIN: RINSE WITH WATER. EYE: FLUSH WITH  
WATER AT LEAST 15 MIN. INHAL: REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:97.0F,36.1C

Lower Limits:2.0

Upper Limits:12.0

Extinguishing Media:WATER, CO2, DRY CHEMICAL

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SC  
BA AND FULL

PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT ABSORBENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM OXIDIZERS, FLAMES,  
IGNITION SOURCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection

:NOT REQUIRED.

Ventilation:LOCAL EXHAUST MAY BE NEEDED; HOWEVER, MECHANICAL (GENERAL) VENTILATION SHOULD SUFFICE.

Protective Gloves:PVC OR RUBBER GLOVES

Other Protective Equipment:NOT REQUIRED

Work Hygienic Practices:WASH HANDS THOROUGHLY AND FREQUENTLY DURING CONTACT WITH MATERIAL AND AT END OF WORK SHIFT.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:190F,88C

Vapor Pres:

44

Vapor Density:1.06

Spec Gravity:0.874

Evaporation Rate & Reference:0.69 (IPA=1)

Solubility in Water:SOLUBLE

Appearance and Odor:COLORLESS LIQUID, MEDICINAL ALCOHOLIC ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS

Stability Condition to Avoid:FLAME, IGNITION SOURCES

Hazardous Decomposition Products:CO, CO2

===== Disposal Considerations =====

Was

te Disposal Methods:INCINERATION OR EVAPORATE AND LANDFILL. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek comp

etent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.