

BENDIX AVELEX -- COMPASSES 1841-2A/B -- 6605-00-551-8187

=====
Product Identification
=====

Product ID:COMPASSES 1841-2A/B
MSDS Date:04/13/1991
FSC:6605
NIIN:00-551-8187
MSDS Number: BJSGK
=== Responsible Party ===
Company Name:BENDIX AVELEX
Address:200 LAURENTIEN BLVD
Box:2140
City:ST. LAURENT
State:PQ
Country:CA
Info Phone Num:514-744-2811
Emergency Phone Num:514-744-2811
Preparer's Name:DGSC-S
SH
CAGE:07213
=== Contractor Identification ===
Company Name:BENDIX AVELEX
Address:200 LAURENTIEN BLVD
Box:City:ST. LAURENT
State:PQ
Country:CA
Phone:514-744-2811
CAGE:07213

=====
Composition/Information on Ingredients
=====

Inged Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE
PRESENT IN THIS PRODUCT.
RTECS #:9999999ZZ
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

BASED ON CONVERSATIONS WITH MANUFACTURER, THESE COMPASSES HAVE NOT USE RADIOACTIVE DIAL PAINT SINCE 1950'S OR EARLIER. ONLY NON-HAZARDOUS FLUORESCENT PAINT USED SINCE THAT TIME. MATERIAL IS AN ARTICL E NOT SUBJECT TO HCS MSDS REQUIREMENT. THIS PART NUMBER "C" ENTERED BY DLA FOCAL POINT.

===== Physical/Chemical Properties =====

HCC:N

1

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.