

3M COMPANY -- ADHESIVE-SCOTCH-WELD (R) 2216 B GRAY -- 8040-00-145-0432

===== Product Identification =====

Product ID:ADHESIVE-SCOTCH-WELD (R) 2216 B GRAY

MSDS Date:02/08/1990

FSC:8040

NIIN:00-145-0432

Kit Part:Y

MSDS Number: BJXGN

=== Responsible Party ===

Company Name:3M COMPANY

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612

-733-1110,714-864-2310

CAGE:76381

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

B

ox:City:SAINT PAUL
State:MN
ZIP:55144-1000
Country:US
Phone:866-556 5712 / 612-733-1110
CAGE:76381

=====
Composition/Information on Ingredients
=====

Ingred Name:4,4'-ISOPROPYLIDENEDIPHENOL (SARA III)
CAS:80-05-7
RTECS #:SL6300000
Fraction by Wt: 72%
Other REC Limits:NONE SPECIFIED

Ingred Name:ALUMINUM SILICATE PIGMENT
CAS:1302-76-7
RTECS #:BD1450000
Fraction by Wt: 28%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

He
alth Hazards Acute and Chronic:EXTREMELY IRRITATING TO EYES UPON
DIRECT CONTACT. MAY CAUSE PERMANENT EYE DAMAGE. MAY CAUSE SKIN
IRRITATION UPON PROLONGED CONTACT. MAY CAUSE SENSITIZATION IN SOME
INDIVIDUALS. VAPORS MAY BE IRRITATING TO RESPIRATORY SYSTEM. MAY
CAUSE GASTROINTESTINAL IRRITATION.
Effects of Overexposure:EYES:IRRITATING. SKIN:IRRITATING.MAY CAUSE
SENSITIZATION.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR AT LEAST 10 MINUTES.
CONTACT A PHYSICIAN. SKIN:WASH THOROUGHLY WITH SOAP AND WATER.
INHALATION:PROVIDE FRESH AIR. SWALLOWED:DRINK TWO GLASSES OF WATER
OR MILK AND CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:+200F/+93C
Extinguishing Media:CO2, FOAM, DRY CHEMICAL, WATER
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS WHEN FIGHTING FIRES INVOLVING THIS MATERIAL.

=====

===== Accidental Release Measures =====

Spill Release Procedures: VENTILATE AREA. COLLECT SPILLED MATERIAL, CLEANUP RESIDUE AND PLACE IN A METAL CONTAINER (U.S. DEPT OF TRANSPORTATION APPROVED IF IT IS TO BE SHIPPED). DISPOSE OF CLEANUP MAT'L BY INCINERATION IN INDUSTRIAL OR COMMERCIAL INCINERATOR.

===== Handling and Storage =====

Handling and Storage Precautions: PREVENT CONTACT WITH EYES AND SKIN. AVOID INHALATION OR EYE CONTACT WITH DUST FROM GRINDING

OPERATIONS ON THE CURED MAT'L. USE ONLY IN WELL VENTED AREA.

Other Precautions: CURING OVENS MUST BE VENTED TO THE OUTDOORS. WASH CONTAMINATED CLOTHING BEFORE REUSE. KEEP CONTAINER CLOSED. KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Ventilation: LOCAL OR MECHANICAL (GENERAL) EXHAUST.

Protective Gloves: IMPERVIOUS GLOVES

Eye Protection: SAFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: N1

Spec Gravity: 1.33

Viscosity: **

Solubility in Water: NOT SOLUBLE

Appearance and Odor: OFF-WHITE CREAM PASTE, VERY SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: CO, CO₂ AND SMOKE PARTICLES WHEN SUBJECTED TO EXCESSIVE HEAT OR FLAME.

===== Disposal Considerations =====

Waste Disposal Methods: SINCE RE

REGULATIONS VARY, CONSULT APPLICABLE

REGULATIONS OR AUTHORITIES BEFORE DISPOSAL. TWO PART

SYSTEM: COMBINED PARTS (B & A) WHEN FULLY CURED, MAY BE DISPOSED IN
A SANITARY LANDFILL PER REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all li

ability for its use. Any person utilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.