View NSN Online: https://aerobasegroup.com/nsn/8030-01-183-1721

GENERAL SEALANTS INC -- GS 213 HIGH TEMP VACUUM BAG SEALANT -- 8030-01-183-1721

======== Product Identification ============

Product ID:GS 213 HIGH TEMP VACUUM BAG SEALANT

MSDS Date:04/01/1982

FSC:8030

NIIN:01-183-1721 MSDS Number: BJXTJ

=== Responsible Party ===

Company Name: GENERAL SEALANTS INC Address: 300 S TURNBULL CANYON RD

City:CITY OF INDUSTRY

State:CA ZIP:91745 Country:US

Info Phone Num:800-762-114

4

Emergency Phone Num:800-762-1144/818-961-0211 (CA)

CAGE:53992

=== Contractor Identification ===

Company Name: GENERAL SEALANTS INC Address: 300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA ZIP:91744 Country:US

Phone:818-961-0211

CAGE:53992

======= Composition/Information on Ingredients ========

Ingred Name:RUBBER Fraction by Wt: 30%

Other REC Limits: NONE SPECIFIED

Ingred Name:FILLER Fraction by Wt: 40%

Other REC Limits: NONE SPECIFIED

Ingred Name:PLASTIZERS

Fracti

on by Wt: 20% Other REC Limits: NONE SPECIFIED Ingred Name:OIL Fraction by Wt: 2% Other REC Limits: NONE SPECIFIED Ingred Name: ZINC (SARA III) CAS:7440-66-6 RTECS #:ZG8600000 Fraction by Wt: 3% Other REC Limits: NONE SPECIFIED OSHA PEL:10 MG ZNO/M3 ACGIH TLV:10 MG ZNO/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:FIBER Fraction by Wt: 5% Other REC Limits: NONE SPECIFIED ========== Hazards Identification ================ Health Hazards Acute and Chronic: NONE ffects of Overexposure:NONE First Aid:NONE ============= Fire Fighting Measures ======================== Flash Point:750F,399C Extinguishing Media: DRY CO2. Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard:NONE ======== Accidental Release Measures ===========

Spill Release Procedures:100% SOLID-WILL NOT SPILL

=========== Handling and Storage ===========

Other Pr

====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE Ventilation:REGULAR VENTILATION Protective Gloves:NONE Eye Protection:NONE Other Protective Equipment:NONE Supplemental Safety and Health
========= Physical/Chemical Properties ==========
Spec Gravity:8 LB/GL
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

ecautions:DO NOT TAKE INTERNALLY. FOR INDUSTRIAL USE ONLY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.