

TEXACO INC -- 00736 MIL-L-24467 STM TURB OIL VSI -- 9150-00-117-9432
===== Product Identification =====

Product ID:00736 MIL-L-24467 STM TURB OIL VSI

MSDS Date:12/05/1990

FSC:9150

NIIN:00-117-9432

MSDS Number: BJXWC

=== Responsible Party ===

Company Name:TEXACO INC

Address:1111 RUSK

Box:52332

City:HOUSTON

State:TX

ZIP:77052

Country:US

Info Phone Num:914-838-7204

Emergency Phone Num:914-831-3400/8

00-424-9300(CHEMTREC)

CAGE:3B431

=== Contractor Identification ===

Company Name:ROSE DON OIL CO INC

Address:205 N BEN MADDOX WAY

Box:508

City:VISALIA

State:CA

ZIP:93277

Country:US

Phone:209-733-4717

CAGE:5Z142

Company Name:TEXACO PIPELINE INC (SUB OF TEXACO INC)

Address:9700 RICHMOND AVE

Box:42286

City:HOUSTON

State:TX

ZIP:77242-2286

Country:US

Phone:713-953-4260

CAGE:3B431

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLV

ENT-DEWAXED HEAVY

PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 95-99.9%

Other REC Limits:NONE SPECIFIED

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:OTHER COMPONENTS

Fraction by Wt: .01-5.0%

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:BELIEVED > 5G/KG (ORAL LD50 - RAT)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chr

onic:MAY CAUSE MINIMAL IRRITATION TO EYES.

BRIEF SKIN CONTACT IS NOT IRRITATING. PROLONGED CONTACT MAY CAUSE DEFATTING OF THE SKIN OR IRRITATION. VAPORS OR MISTSS MAY CAUSE IRRITATION OF THE NOSE AND THROA T, HEADACHE, NAUSEA AND DROWSINESS. IF MORE THAN SEVERAL MOUTHFULS ARE SWALLOWED, GASTROINTESTINAL DISTURBANCES MAY OCCR

Explanation of Carcinogenicity:PRODUCT CONTAINS NO MATERIALS CURRENTLY CLASSIFIED AS CARCINOGENIC BY IARC, NTP OR OSHA.

Effects of Overexposure:TEMPO

RARY EYE IRRITATION/DISCOMFORT. SKIN

IRRITATION, LOCAL REDNESS, DEFATTING, POSSIBLE MILD DISCOMFORT.

NOSE THROAT IRRITATION, HEADACHE, NAUSEA, DROWSINESS. ABDOMINAL DISCOMFORT, NAUSEA, DIARRHEA.

Medical Cond Aggravated by Exposure:BECAUSE OF ITS DEFATTING

PROPERTIES, PROLONGED AND REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR SEVERAL MINUTES. GET

MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP AND WATER FOR SEVERAL MINUTES. GET MEDICAL ATTENTION IF SKIN IRRITATION DEVELOP S OR PERSISTS. INGESTION: IF MORE THAN SEVERAL MOUTHFULS HAVE BEEN SWALLOWED, GIVE TWO GLASSES OF WATER. GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:425F,218C

Extinguishing Media

:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE

Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS. IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPORS.

Unusual Fire/Explosion Hazard:WATER SPRAY MAY ALSO BE USED TO PROVIDE PROTECTION FOR PERSONS ATTEMPTING TO STOP THE LEAK.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING VAPOR. USE

SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED AIR FOR LARGE SPILLS OR CONFINED AREAS. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP. PREVENT ENTRY INTO SEWERS AND WATERWAYS

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MIN

IMIZED. AVOID WATER CONTAMINATION.

Other Precautions:AVOID CONTACT WITH SKIN, EYES OR CLOTHING. REMOVE AND DRY CLEAN OR LAUNDRY CLOTHING SOAKED OR SOILED WITH THIS MATERIAL BEFORE REUSE. DRY CLEANING OF CONTAMINATED CLOTHING MAY BE MORE EFFECTIVE THAN NORMAL LAUNDERING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIRBORNE CONCENTRATIONS SHOULD BE KEPT TO LOWEST LEVELS POSSIBLE. IF VAPOR, MIST OR DUST IS GENERATED, USE RESPIRATOR

APPROVED BY MSHA OR NIOSH AS APPROPRIATE. SUPPLIED AIR RESPIRATOR SHOULD BE USED FOR SPILL RESPONSE, CONFINED SPACE ENTRY.

Ventilation:ADEQUATE TO MEET COMPONENT OCCUPATION EXPOSURE LIMITS.

Protective Gloves:WASH WITH SOAP & WATER SEVERAL TIMES/DAY

Eye Protection:CHEMICAL GOGGLES OR FACE SHIELD

Other Protective Equipment:EYE WASH STATION

Work Hygienic Practices:WORKERS SHOULD WASH EXPOSED SKIN SEVERAL TIMES DAILY WITH SOAP AND WATER.

Supplemental Safety and Health

IT IS THE RESPON

SIBILITY OF THE USER OF THE PRODUCT TO DETERMINE AT THE TIME OF DISPOSAL, WHETHER THE PRODUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. THIS IS BECAUSE PRODUCT USES, TRANSFORMATIONS, MIXTURES, PROCESSES, ETC. MAY RENDER THE RESULTING MATERIALS HAZARDOUS FOR DISPOSAL.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:.8854

Viscosity:78.5 CST @40C

Appearance and Odor:PALE LIQUID, NO ODOR GIVEN

Percent Volatiles by Volume:100 %

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:TOXIC LEVELS OF CARBON MONOXIDE, CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES.

===== Disposal Considerations =====

Waste Disposal Methods:THIS PRODUCT HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS AND DOES NOT MEET THE CRITERIA OF A HAZARDOUS WASTE

IF DISCARDED IN ITS PURCHASED FORM. DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.