

BURKE CHEMICALS -- 04-0010 RELEASE NO. 1 -- 5440-01-123-1654

===== Product Identification =====

Product ID:04-0010 RELEASE NO. 1

MSDS Date:04/02/1991

FSC:5440

NIIN:01-123-1654

MSDS Number: BJYBP

=== Responsible Party ===

Company Name: BURKE CHEMICALS

Address: 22039 S WESTWARD AVE

City: LONG BEACH

State: CA

ZIP: 90810

Country: US

Info Phone Num: 310-834-3401

Emergency Phone Num: 310-834-3401

Preparer's Nam

e: PETER FUQUA

Chemtrec Ind/Phone: (800)424-9300

CAGE: HO842

=== Contractor Identification ===

Company Name: BURKE CHEMICALS

Address: 22039 SOUTH WESTWARD AVE

Box: City: LONG BEACH

State: CA

ZIP: 90810

Country: US

Phone: 416-665-7222

CAGE: HO842

Company Name: BURKE CO.

Address: 1625 W WASHINGTON BLVD

Box: City: MONTEBELLO

State: CA

ZIP: 90640-5423

Country: US

CAGE: 54103

Company Name: BURKE CO. DBA BURKE CONCRETE ACCESSORIES INC

Address: 1111 STRIMMEL ROAD

Box: City: COLUMBUS

State: OH

ZIP: 43223

Country: US

Phone: 614-444

-3330  
CAGE:0C0E0  
Company Name:KAMPI COMPONENTS CO., INC.  
Address:210 RT 13  
Box:721  
City:BRISTOL  
State:PA  
ZIP:19007-3517  
Country:US  
Phone:215-736-2000  
Contract Num:SP0560-01-M6880

CAGE:7Z016  
Company Name:TRIDEN CONSTRUCTION SUPPLY INC  
Address:1575 HARMON AVE  
Box:City:COLUMBUS  
State:OH  
ZIP:43223-3311  
Country:US  
Phone:614-444-3330  
CAGE:2Y843

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ROSIN ACID (THIS INGREDIENT OBTAINED FROM ORIGINAL RECORD  
IN HMIS)  
CAS:  
8016-81-7  
Other REC Limits:NONE SPECIFIED

Ingred Name:PETROLEUM MID-DISTILLATE  
CAS:68476-34-6  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 PPM (STODDARD)  
ACGIH TLV:100 PPM (STODDARD)

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: EYE, SKIN AND RESPIRATORY TRACT  
IRRITATION

. CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO MATERIALS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:EYE/SKIN: IRRITATION. INHALATION: THROAT, NOSE AND RESPIRATORY TRACT IRRITATION. INGESTION: MOUTH AND THROAT IRRITATION, VOMITING.

Medical Cond Aggravated by Exposure:MAY AGGRAVATE RESPIRATORY CONDITIONS AND SKIN DISORDERS.

=====  
First Aid Measures =====

First Aid:IN CASE OF INHALATION, REMOVE VICTIM TO FRESH AIR. IN CASE OF EYE CONTACT, FLUSH WITH PLENTY OF WATER. IN CASE OF SKIN CONTACT, FLUSH WITH PLENTY OF WATER. IN CASE OF INGESTION, CALL A PHYSICIAN.

=====  
Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=80.C, 176.F

Autoignition Temp:=315.6C, 600.F

Lower Limits:0.6%

Upper Limits:7.5%

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, AND WATER FOG.

Fire Fighting Procedures:WEAR PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:FIRE MAY FORM HAZARDOUS DECOMPOSITION PRODUCTS.

=====  
Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE LIQUID. CLEAN UP WITH ABSORBANT MATERIALS. KEEP OUT OF WATERWAYS, SURFACE WATERS, SEWERS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA, AWAY FROM HEAT, IGNITION SOURCES AND INCOMPATIBLE MATERIALS.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
Exposure Controls/Personal Protection =====

Respiratory Protection:HYROCARBON VAPOR CANNISTER

Ventilation:LOCAL EXHAUST AS WELL AS MECHANICAL (GENERAL) VENTILATION ARE RECOMMENDED.

Protective Gloves:RUBBER

Eye Protection:SAFETY

Y GOGGLES

Other Protective Equipment:LONG LEG, LONG SLEEVE CLOTHING, EYE WASH STATION, EMERGENCY SHOWER

Work Hygienic Practices:WASH HANDS BEFORE HANDLING FOOD.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:=249.C, 480.2F

Vapor Pres:NIL

Vapor Density:>1

Spec Gravity:0.9

Evaporation Rate & Reference: