

AMCO CHEMICAL CORP. -- ETHYL ACETATE -- 6810-00-062-6954

=====  
Product Identification  
=====

Product ID:ETHYL ACETATE

MSDS Date:01/01/1987

FSC:6810

NIIN:00-062-6954

MSDS Number: BJYQJ

=== Responsible Party ===

Company Name:AMCO CHEMICAL CORP.

Address:3RD & CYPRESS STREETS

Box:208

City:OAKLAND

State:CA

ZIP:94607

Country:US

Info Phone Num:804-274-4371

Emergency Phone Num:804-274-4371

Preparer's Name

:DGSC-SSH

CAGE:97984

=== Contractor Identification ===

Company Name:AMCO CHEMICAL CORP

Address:3RD - CYPRS

Box:208

City:OAKLAND

State:CA

ZIP:94607

Country:US

Phone:NOT IN BUSINESS! 911008P505A ???

CAGE:97984

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYL ACETATE (SARA III)

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt: >87%

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====  
Hazards Identification

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:HEADACHE,NAUSEA,VOMITING,AND  
NARCOSIS. CHRONIC:NO DATA AVAILABLE.  
Effects of Overexposure:HEADACHE,NAUSEA,VOMITING & NARCOSIS.  
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
AGGREVATED.

===== First Aid Measures =====

First Aid:INHALE: MOVE TO FRESH AIR; SWALL  
OWED: INDUCE VOMITING AND  
CALL A PHYSICIAN; SKIN/EYE CONTACT: FLUSH WITH WATER.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:27F/-2.78C  
Lower Limits:2.5  
Upper Limits:11.5  
Extinguishing Media:CO\*2, FOAM, DRY CHEM.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. SMALL  
SPILL: FLUSH WITH  
LARGE QUANTITIES OF WATER; LARGE SPILL: COLLECTED  
FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID BREATHING VAPOR; KEEP AWAY FROM  
HEAT,SPARKS & OPEN FLAMES; KEEP CONTAINER CLOSED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR-SUPPLIED MASK.  
Ventilation:LOCAL EXHAUST PREFERRED,MECHANICAL EXHAUST ACEPTABLE.  
Protective Gloves:PLASTIC  
Eye Protection:GOGGLES  
Other Pro

Protective Equipment:SAFETY SHOWER & EYE BATH  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2  
Boiling Pt:=75.C, 167.F  
Vapor Pres:69  
Vapor Density:3.04  
Spec Gravity:0.884  
Evaporation Rate & Reference:6.15 (BUTYL ACETATE)  
Solubility in Water:22% (APPRECIABLE)  
Appearance and Odor:WATER-WHITE LIQ,ESTERIC,FRUITY ODOR.  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/M  
Materials to Avoid:YES  
STRONG ALKALIES.  
Stability Condition to Avoid:HEAT & FIRES.  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN A FURNACE WHERE PERMITTED UNDER  
FED,STATE LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.