PNEUMATIC PRODUCTS CORP -- SPHERICAL SILICA GEL -- 6850-00-880-7000

Product ID:SPHERICAL SILICA GEL MSDS Date:01/02/1989 FSC:6850 NIIN:00-880-7000 MSDS Number: BJZFJ === Responsible Party === Company Name: PNEUMATIC PRODUCTS CORP Address:4647 40TH AVE City:OCALA State:FL ZIP:32674 Country:US Info Phone Num:904-237-1220 Emergency Phone Num:904-237-1220 Preparer's N ame:HARRY M. SHAWL CAGE:58915 === Contractor Identification === Company Name: PNEUMATIC PRODUCTS CORPORATION Address:4647 S.W. 40TH AVENUE Box:City:OCALA State:FL ZIP:32674 Country:US Phone:904-237-1220 CAGE:58915

Ingred Name:NON HAZARDOUS INGREDIENT Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS EST. >31,600 MG/KG Routes of Entry: Inh alation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NONE KNOWN. CHRONIC: NONE KNOWN.
Explanation of Carcinogenicity:THIS PRODUCT AND ITS COMPONENTS ARE NOT LISTED ON THE IARC, NTP OR OSHA CARCINOGENS LISTS.
Effects of Overexposure:NONE KNOWN.
Medical Cond Aggravated by Exposure:DUST MAY EFFECT ANY CONDITION OF THE RESPIRATORY TRACT.

First

Aid:EYES: FLUSH EYES WITH PLENTY OF WATER. CONSULT A DOCTOR IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP AND WATER. INGESTION: DRINK PLENTY OF WATER IMMEDIATELY & SEE A DOCTOR. INHALATION: DUST MAY CAUSE IRRITATION OR DISCOMFORT. REMOVE TO FRESH AIR & SEE A DOCTOR IF SYMPTOMS DO NOT DISAPPEAR.

Lower Limits:NOT APPLICAE Upper Limits:NOT APPLICAE Unusual Fire/Explosion Hazard:NONE/NON-COMBUSTIBLE

Spill Release Procedures:SWEEP OR VACUUM UP IMMEDIATELY. SPILLED MATERIAL CAN BE SLIPPERY. THIS WILL MINIMIZE CHANCE OF INJURY DUE TO FALLS. Neutralizing Agent:NONE REQUIRED

Handling and Storage Precautions: DESICCANT SHOULD BE HANDLED SO AS TO AVOID GENERATION OF DUST. USE ADEQUATE VENTILLATION. IF DUST DEVELOPS, USE A NIOSH APPROVED RESPIRATOR.

Other Prec

autions: IN DUSTY CONDITIONS, PROLONGED CONTACT MAY CAUSE SKIN IRRITATION. IF CONTACT WITH SKIN IS UNAVOIDABLE, WEAR CLOSE-WEAVE GLOVES WITH TIGHT FITTING WRISTLETS. THESE SHOULD BE WASHED FREQUENTLY.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:WEAR A PROPERLY FITTED NIOSH/MSHA APPROVED DUST RESPIRATOR IF CONDITIONS ARE DUSTY.

Ventilation:MECHANICAL(GENERAL) VENTILATION & LOCAL EXHAUST VENTILATION IS RECOMMENDED.

Protective Glov

es:CLOSE-WEAVE COTTON WITH TIGHT WRISTBANDS Eve Protection:GOGGLES FOR DUSTY CONDITIONS

Other Protective Equipment: LONG SLEEVED WORK CLOTHING.

Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING, DRINKING OR SMOKING. VACUUM UP ANY DUST. LAUNDER CLOTHING BEFORE REUSE.

Supplemental Safety and Health

SILICA GEL IS A SYNTHETIC AMORPHOUS SILICA NOT TO BE CONFUSED WITH CRYSTALLINE SILICA. EPIDEMIOLOGICAL STUDIES INDICATE LOW POTENTIAL FOR ADVERSE HEALTH EFFECTS. SILICA

GEL IS CONSIDERED TO BE A NUISA

NCE DUST. IN THE ACTIVATED FORM, SILICAGEL ACTS AS A DESICCANT & CAN CAUSE A DRYING IRRITATION OF THE MUCOUS MEMBRANES.

HCC:N1 Spec Gravity:2.1 Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR BEADS-ODORLESS

Stability Indicator/Materials to Avoid:YES REACTS WITH HYDROFLUORIC ACID (HF). Stability Condition to Av oid:NONE KNOWN Hazardous Decomposition Products:NONE

Waste Disposal Methods:DISPOSE OF UNUSED DESICCANT IN ACCORDING WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.