

CSD INC. (OBSOLETE ADDRESS; USE 4N760) -- THINNER AIRCRAFT COATING -- 8010-00-181-8080

=====
Product Identification
=====

Product ID:THINNER AIRCRAFT COATING

MSDS Date:09/01/1990

FSC:8010

NIIN:00-181-8080

MSDS Number: BJZSL

=== Responsible Party ===

Company Name:CSD INC. (OBSOLETE ADDRESS; USE 4N760)

Address:420 SEABOARD DRIVE

City:MATTHEWS

State:NC

ZIP:28105-5073

Country:US

Info Phone Num:704-82

1-9822

Emergency Phone Num:704-821-9822

Preparer's Name:DAVID SHIPP

CAGE:5W216

=== Contractor Identification ===

Company Name:CSD INC. (PRE 1985 NAME: MATHEWS, INC)

Address:420 SEABOARD DRIVE

Box:City:MATTHEWS

State:NC

ZIP:28105-5073

Country:US

Phone:704-821-9822

CAGE:5W216

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 30.5%

Other REC Limits:NONE SPECIFIED

OSHA PE

L:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:HEXYL ACETATE MIXED ISOMERS
CAS:88230-35-7
Fraction by Wt: 41.0%
Other REC Limits:SUPPLR:50PPM 8HR TWA

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 10.5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:N-BUTYL ACETATE (SARA III)
CAS:123-86-4
RTECS #:AF7350000
Fraction by
Wt: 11.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:150 PPM/200 STEL
ACGIH TLV:150 PPM/200STEL;9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 7.0%
Other REC Limits:(SARA 313)
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Health Hazards Acute and Chronic:OVEREXPOSURE MAY CAUSE CARDIAC ABNORMALITY & LIVER ABNORMALITY. ASPIRATION OF MATERIAL INTO THE LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

Effects of Overexposure:EYES:IRRIT, REDNESS, TEARING. SKIN: PROLONGED/REPEATED CONTACT CAN CAUSE MODERATE IRRIT, DEFATT, DERMATITIS. EXCESSIVE INHALE:NASAL & RESPIRATORY IRRIT, CENTRAL NERVOUS SYSTEM, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE & POSSIBLE UNCONSCIOUSNESS & EVEN DEATH. SWALLOW:GASTROINTESTINAL IRRIT, NAUSEA, VOMIT & DIARRHEA

===== First Aid Measures =====

First Aid:SKIN:THOROUGHLY WASH AREA W/SOAP & WATER. REMOVE CONTAMINATED CLOTHES. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE. EYES:FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER & LOWER LIDS, GET MEDICAL ATTENTION. SWALLOWED:DO NOT INDUCE VOMITING, KEEP PERSON WARM, QUIET & GET MEDICAL ATTENTION. BREATH:REMOVE PERSON TO FRESH AIR. IF BREATH IS DIFFICULT ADMINISTER OXYGEN. BREATH HAS STOPPED GIVE CPR. KEEP PERSON WARM, QUIET, GET MEDICAL ATTENTION

===== Fire Fighting Measures =====

Flash Point:20 F/-6.7 C
Lower Limits:1.0
Extinguishing Media:REGULAR FOAM OR CARBON DIOXIDE OR DRY CHEMICAL
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE DEMAND MODE. VAPOR MAY TRAVEL TO IGNITE SOURCES DISTANT FROM HANDLING POINT
Unusual Fire/Explosion Hazard:NEVER WELD, CUTTING TORCH ON OR NEAR
DRUM(EVEN EMPTY)CAN IGNITE EXPLOSIVELY. ALL 5 GAL PAIL & LARGE METAL CONTAINERS GROUND/BOND WHEN TRANSFERRING MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:SM:ABSORB LIQUID ON PAPER,VERMICULITE,FLOOR ABSORBENT. LG:ELIMINATE ALL IGNITE SOURCES. NO PERSONS WITHOUT WEARING PROTECTIVE EQUIPMENT. STOP AT SOURCE. DIKE AREA TO PREVENT SPREAD, PUMP LIQUID TO SALVAGE TANK. TAKE UP REST WITH SAND,CLAY,ETC. SHOVEL INTO

O

CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:CONTAINERS MAY BE HAZARDOUS WHEN EMPTIED. SINCE EMPTIES RETAIN PRODUCT RESIDUES(VAPOR,LIQUID,SOLID)ALL HAZARD PRECAUTIONS GIVEN MUST BE OBSERVED.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL. OSHA REGS ALSO PERMIT

OTHER NIOSH/MSHA RESPIRATORS (NEGATIVE PRESSURE TYPE) UNDER SPECIFIED CONDITION S. SEE YOUR SAFETY EQUIPMENT SUPPLIER.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL &/OR LOCAL EXHAUST) VENTILATION

Protective Gloves:WEAR RESISTANT GLOVES:POLYETHYLENE

Eye Protection:CHEM SPLASH GOGGLES OR SAFETY GLASSES

Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS CLOTHING & BOOTS

Work Hygienic Practices:REMOVE CONTAMINATED CLOTHING. LAUNDER CONTAM

INATED CLOTHING BEFORE RE-USE.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F2

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:179F,82C

Melt/Freeze Pt:M.P/F.P Text:-20F,-29C

Vapor Pres:35.1 MMHG

Vapor Density:3.4

Spec Gravity:0.850

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:MODERATE

Appearance and Odor:CLEAR, LITTLE IF ANY COLOR; CHARACTERISTIC ODOR

Percent Volatiles by Volume:100

Corrosion Rate:NONE

==

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: MAY FORM TOXIC MATERIALS. CARBON DIOXIDE & CARBON MONOXIDE, VARIOUS HYDROCARBONS, ETC.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. PREVENT RUN-OFF TO SEWERS, STREAMS OR OTHER BODIES OF WATER. IF RUN-OFF OCCURS, NOTIFY PROPER AUTHORITIES AS REQUIRED, THAT A SPILL HAS OCCURRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.