

DAVIS HOWLAND OIL CORP. -- VVD-1078-40000 CST -- 9150-00-851-4257

===== Product Identification =====

Product ID:VVD-1078-40000 CST

MSDS Date:01/01/1987

FSC:9150

NIIN:00-851-4257

MSDS Number: BKCFT

=== Responsible Party ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Info Phone Num:716-473-6650

Emergency Phone Num:716-473-6650

CAGE:5A

565

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

===== Composition/Information on Ingredients =====

Ingred Name:"NOT HAZARDOUS"

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL (RAT) IS 20,000 MG/KG

Routes of Entry: Inhalation:NO Skin:YES Ingestion:

NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and

Chronic:ACUTE-EYE/SKIN/INHALATION/INGESTION:UNKNOWN.CHRONIC-UNKNOWN

Effects of Overexposure:SEE HEALTH HAZARDS SECTION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:CALL A PHYSICIAN.INHALATION: REMOVE TO FRESH AIR.EYE:  
IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15  
MINUTES.SKIN:WASH WITH  
SOAP AND WATER.INGESTION:CALL PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC

Flash Point:>400F,>204C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, SAND OR EARTH

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL  
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

=====  
Accidental Release Measures  
=====

Spill Release Proc

edures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL  
AND PUT IN A CONTAINER FOR DISPOSAL.

Neutralizing Agent:NONE GIVEN.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORAGE-KEEP CONTAINER CLOSED WHEN NOT  
IN USE.

Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:LOCAL EXHAUST

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES - GOGGLES - FACE SHIELD

Other Protective Equipme

nt:EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING, AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:NEGLIGIBLE

Spec Gravity:0.97

Evaporation Rate & Reference:>1 (N-BUTYL ACETATE=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR LIQUID-ODORLESS

Percent Volatiles by Volume: