

B.F. GOODRICH ADHESIVE SYSTEMS -- A-1216-B -- 8040-00-081-2166

=====
Product Identification
=====

Product ID:A-1216-B

MSDS Date:03/28/1986

FSC:8040

NIIN:00-081-2166

MSDS Number: BKHDF

=== Responsible Party ===

Company Name:B.F. GOODRICH ADHESIVE SYSTEMS

Address:500 S. MAIN

City:AKRON

State:OH

ZIP:44318

Info Phone Num:(216) 374-2468

Emergency Phone Num:(216) 374-3422

CAGE:IO284

=== Contractor Iden

tification ===

Company Name:B.F. GOODRICH ADHESIVE SYSTEMS

Address:123 WEST BARTGES ST

City:AKRON

State:OH

ZIP:44311

Country:US

Phone:216-374-2824

CAGE:IO284

Company Name:BF GOODRICH CO

Address:3925 EMBASSY PKY

Box:5471

City:AKRON

State:OH

ZIP:44313-0471

Country:US

Phone:216-374-3985

CAGE:25472

Company Name:STEVENS INDUSTRIES

Address:39 AVE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002

Country:US

Phone:201-437-6500

CAGE:70372

=====
Composition/Information on Ingredients
=====

Ingre

d Name:2,2-BIS(4-(2,3-EPOXYPROPYLOXY)PHENYL)PROPANE, BISPHENOL A
DIGLYCIDYL ETHER, EPON 828, EPOXIDE A

CAS:1675-54-3

RTECS #:TX3800000

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN: SENSITIZATION, MODERATE TO
SEVERE IRRITATION. EYES: MODERATE TO SEVERE IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposu
re:SKIN: SENSITIZATION, MODERATE TO SEVERE
IRRITATION. EYES: MODERATE TO SEVERE IRRITATION.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MIN. SKIN: WASH THOROUGHLY W/SOAP
& WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point:480F
Extinguishing Media:WATER, CO2, DRY CHEMICAL & FOAM.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

==
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/INERT MATERIAL & DISPOSE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DARK PLACE AWAY FROM
HEAT. AVOID MIXING W/LARGE AMOUNTS OF EPOXY AT ONE TIME.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AS NEEDED
Ventilation:LOCAL EXHAUST: PREFERRED. MECHANICAL (GENERAL): ADEQUATE.

Protective Gloves:RUBBER
Eye Protection:GOGGLES
Other Protective Equipment:EYE WASH STAND
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density:>1
Spec Gravity:13.52 LBS/GAL
Solubility in Water:SLIGHT
Appearance and Odor:VISCIOUS LIQUID W/EPOXY ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO
EPOXY RESINS
Stability Condition to Avoid:MIXING LARGE AMOUNTS OF EPOXY AT ONE TIME
& HEAT.
Hazardous Decomposition Products:CO, CO2, AMMONIA, & TOXIC FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN APPROVED LANDFILL IN ACCORDANCE
W/FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of
America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.