View NSN Online: https://aerobasegroup.de/nsn/7930-00-185-6758

ARROW-MAGNOLIA, INTERNATIONAL -- M115 GLAYZIT -- 7930-00-185-6758

Product ID:M115 GLAYZIT MSDS Date:03/01/1989

FSC:7930

NIIN:00-185-6758

MSDS Number: BKHGV === Responsible Party ===

Company Name: ARROW-MAGNOLIA, INTERNATIONAL

Address: 2646 RODNEY LANE

Box:59089 City:DALLAS State:TX ZIP:75229

Info Phone Num:(214) 247-7111

Emergency Phone Num:(214) 247-7111

CAGE:0JVG

7

=== Contractor Identification ===

Company Name: ARROW-MAGNOLIA INTERNATIONAL

Address: 2646 RODNEY LANE

Box:City:DALLAS

State:TX ZIP:75229 Country:US

Phone: (972) 247-7111

CAGE:0JVG7

====== Composition/Information on Ingredients ========

Ingred Name: VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4 RTECS #:OI6180000 Fraction by Wt: 20-30%

Other REC Limits:STEL 400 PPM OSHA PEL:300 PPM/400 STEL ACGIH TLV:300 PPM; 9192

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000 Fraction by Wt: 20-30%

Oth

er REC Limits:1800 MG/CUM OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIANT; 9192

Ingred Name: METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000 Fraction by Wt: 15-20%

Other REC Limits:350 PPM (CL) OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1

Ingred Name:BUTANE

CAS:106-97-8

RTECS #:EJ4200000 Fraction by Wt: 10-20% Other REC Limits:800 PPM OSHA PEL:800 PPM

ACGIH TLV:800 PPM; 9192

Ingred Name:I

SOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM), HYDROTREATED HEAVY, NON AROMATIC HEAVY NAPHTHA) ISOPAR G

CAS:64742-48-9 Fraction by Wt: 5-10%

Other REC Limits: 300 PPM EXXON

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE/SKIN: IRRITATION. INHALATION:

CENTRAL NERVOUS SYSTEM DEPRESSION, ANESTHETIC EFFECTS, INCREASED MYO

CARDIAL IRRITABILITY, & HARMFUL. INGESTION: HARMFUL, GASTROINTESTINAL TRACT IRRITATION, INTERNAL O RGAN EFFECTS, CHEMICAL PNEUMONIA, & FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYE/SKIN: IRRITATION. INHALATION: CENTRAL NERVOUS SYSTEM DEPRESSION, ANESTHETIC EFFECTS, INCREASED MYOCARDIAL IRRITABILITY, & HARMFUL. INGESTION: HARMFUL, GASTROINTESTINAL TRACT IRRITATION, INTERNAL O RGAN EFFECTS, CHEMICAL PNEUMONIA, & FATAL.

======= First Ai

First Aid:EYES: REMOVE CONTACT LENS WHILE FLUSHING W/PLENTY OF WATER & CONTINUE FOR AT LEAST 15 MINS. SKIN: WASH THOROUGHLY W/WATER. INGESTION: DON'T INDUCE VOMITING. IF CONSCIOUS, RINSE MOUTH W/WATER, THEN SPI T OUT RINSE. ASPIRATION INTO LUNGS MAY CAUSE CHEMICAL PNEUMONIA. INHALATION: REMOVE TO FRESH AIR. GIVE CPR OR OXYGEN IF NEEDED. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Flash Point Method:TCC

Flash Point:47F Lower Limits:1% Upper Limits:17%

Extinguishing Media: FOAM, DRY CHEMICAL, & CO2.

Fire Fighting Procedures: KEEP CONTAINERS COOL. USE SHIELDING TO PROTECT PERSONNEL AGAINST BURSTING, RUPTURING OR VENTING CONTAINERS. Unusual Fire/Explosion Hazard: AT ELEVATED TEMPS > 120F CONTAINERS MAY VENT, RUPTURE OR BURST. FLAMMABLE. CONTENTS UNDER PRESSURE.

======== Accidental Release Measures =============

Spill Release Procedures: REMOVE SOU RCES OF FLAME, SPARK OR HEAT.

PROVIDE ADEQUATE VENTILATION. WIPE UP SPILLS, THEN WASH W/A CLEANER TO REMOVE FINAL TRACES. FLOORS MAY BE SLIPPERY. USE CAUTION TO AVOID FALLS.

============= Handling and Storage ==========================

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. DON'T STORE >120F. READ ENTIRE LABEL BEFORE USING. DON'T WEAR CONTACT LENSES. Other Precautions:DANGER. VAPORS HARMFUL. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT W/EYES & BR

EATHING SPRAY MIST OR VAPORS.

DON'T TAKE INTERNALLY, CONTENTS UNDER PRESSURE.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: AS REQUIRED

Ventilation: MECHANICAL (GENERAL): ADEQUATE

Protective Gloves: AS REQUIRED Eye Protection: SAFETY GLASSES

Work Hygienic Practices: ALWAYS FOLLOW SAFE WORK PRACTICES.

Supplemental Safety and Health

THIS PRODUCT MAY CONTAIN DETECTABLE AMOUNTS OF CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEF

Boiling Pt:B.P. Text:165F

Vapor Pres:49 Vapor Density:>1 Spec Gravity:0.90

Evaporation Rate & Evaporation R

Solubility in Water: NEGLIGIBLE

Appearance and Odor:OPAQUE, TAN LIQUID, PLEASANTLY SCENTED.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:TEMPS >120F, HEAT, FLAME, & SPARK.

Н

azardous Decomposition Products:HYDROGEN CHLORIDE, CO, CO2, MINUTE TRACES OF PHOSGENE & CHLORINE.

======= Disposal Considerations ============

Waste Disposal Methods:REPLACE CAP & DISCARD CONTAINER IN TRASH. DON'T PUNCTURE OR INCINERATE. FLAMMABLE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expres

sly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.