

BAKER SEALANTS & COATINGS CO. -- X-822 ADHESIVE -- 8040-00-291-8625

=====
Product Identification
=====

Product ID:X-822 ADHESIVE

MSDS Date:01/30/1990

FSC:8040

NIIN:00-291-8625

MSDS Number: BKHML

=== Responsible Party ===

Company Name:BAKER SEALANTS & COATINGS CO.

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304

Info Phone Num:(201) 333-6986

Emergency Phone Num:(201) 333-6986

Pr

Preparer's Name:MARIO NAVARRO

CAGE:FO833

=== Contractor Identification ===

Company Name:BAKER SEALANTS & COATINGS CO., INC.

Address:234 SUYDAM AVENUE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Phone:(201) 333-6986

CAGE:FO833

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

=====
Composition/Information on Ingredients
=====

Ingred Name:LIGHT ALIPHATIC NAPHTHA, VM & P NAPHT

HA
CAS:64742-89-8
Fraction by Wt: 80-85%
ACGIH TLV:300 PPM

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 3-5%
Other REC Limits:100 PPM
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: NASAL & RESPIRATORY

IRRITATION/CENTRAL NERVOUS SYSTEM EFFECTS INCLUDING
DIZZINESS/WEAKNESS/FATIGUE/NAUSEA/HEADACHE/UNCONSCIOUSNESS/DEATH/BREATHING DIFFICULTY. EYE: IRRITATION/REDNESS/TEARS /BLURRED VISION.
INGESTION: GASTROINTESTINAL IRRITATION/NAUSEA/VOMITING/DIARRHEA.
SKIN: DEFATTING/DERMATITIS/IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: NASAL & RESPIRATORY
IRRITATION/CENTRAL NERVOUS SYSTEM EFFECTS INCLUDING
DIZZINESS/WEAKNESS/FATIGUE/NAUSEA/HEADACHE/UNCONSCIOUSNESS/DEATH/BREATHING DIFFICULTY. EYE: IRRITATION/REDNESS/TEARS /BLURRED VISION.
SKIN: IRRITATION/DEFATTING/DERMATITIS. INGESTION: GASTROINTESTINAL IRRITATION/NAUSEA/VOMITING/DIARRHEA.

Medical Cond Aggravated by Exposure:DERMATITIS

===== First Aid Measures =====

First Aid:EYES: FLUSH W/LARGE AMOUNTS OF WATER. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT OR STOPS,

GIVE ARTIFICIAL RESPIRATION OR OXYGEN. KEEP WARM & QUIET. INGESTION: DON'T INDUCE VOMITING. KEEP WARM & QUIET. ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:72F
Autoignition Temp:Autoignition Temp Text:480 F
Lower Limits:0.9%
Upper Limits:6%
Extinguishing Media:DRY CHEMICAL, CO2, OR FOAM
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:AUTOIGNITION TEMPERATURE: 480F.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. ABSORB LIQUID ON PAPER/VERMICULITE/FLOOR ABSORBENT/SAND/CLAY/EARTH/ABSORBENT MATERIAL & SHOVEL INTO CONTAINER/TRANSFER TO HOOD. EVACUATE AREA/WEAR PROTECTIVE EQUIPMENT. STOP AT SOURCE/DIKE AREA/PUMP TO SALVAGE TANK.

=====
===== Handling and Storage =====

Handling and Storage Precautions:GROUND OR BOND ALL LARGE METAL CONTAINERS WHEN BEING TRANSFERRED. KEEP AWAY FROM ALL SOURCES OF IGNITION.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST OR MECHANICAL VENTILATION
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boili

ng Pt:B.P. Text:240F
Melt/Freeze Pt:M.P/F.P Text: